

RACHEL ANDREW, GOOGLE

Rachel Andrew

Content lead for Chrome Web Developer Relations at Google, CSS Working Group member. rachelandrew@google.com | @rachelandrew on social media.











Update

New to the web platform

A series of posts to keep you updated with what's landing in web browsers each month.

3



New to the web platform in April

Discover some of the interesting features that landed in stable and beta web browsers during April 2023.



New to the web platform in March

Discover some of the interesting features that landed in stable and beta web browsers during March 2023.



New to the web platform in February

Discover some of the interesting features that landed in stable and beta web browsers during February 2023.





New web platform features are exciting!

But they also give us more to learn. And, how do we work out if they are available cross-browser and ready to use in production?



<a>Baseline



Baseline: Widely supported









~

Baseline is determined by this web feature being supported on the current and the previous major browser versions.

Learn more See full compatibility

WHAT'S NEW?

• Web platform features that are part of Baseline.

• Web platform features that are newly interoperable.

• Web platform features we can expect to have broadly available soon.

BASELINE FEATURES

SUPPORTED IN THE CURRENT AND LAST VERSION OF MAJOR BROWSER ENGINES.



The <dialog> element

A new HTML element for modal and non-modal dialog pop-ups.

```
<dialog id="myDialog">
    <form method="dialog">
        This is a dialog.
        <button>Close</button>
        </form>
</dialog>
```

Learn more at: https://web.dev/learn/html/dialog/

```
myButton.addEventListener('click', () => {
   myDialog.showModal();
});
```

```
dialog::backdrop {
  background: rgba(0, 0, 0, 0.5);
}
```




CSS trigonometric functions

More mathematical functions in CSS with the sin(), cos(), tan(), asin(), acos(), atan(), and atan2() functions.

```
•element {
  width: calc(sin(30deg) * 100px);
  height: calc(sin(30deg) * 100px);
}
```

With atan2, you can calculate the rotation for an object so that it points back to a specific point




Learn more at: https://web.dev/css-trig-functions/




Viewport units

Representing the large, small, and dynamic viewport.



Learn more at: https://web.dev/viewport-units/



LARGE, SMALL, AND DYNAMIC UNITS

• Small: svw, svh, svi, svmin, svmax

• Large: Ivw, Ivh, Ivi, Ivmin, Ivmax

• **Dynamic:** dvw, dvh, dvi, dvmin, dvmax



:focus-visible

Show a different focus indicator based on the way a user is interacting with the page.

```
button:focus-visible {
  outline: 3px solid orange;
  outline-offset: 3px;
}
```

Learn more at: https://hidde.blog/focus-visible-more-than-keyboard/



Cascade Layers

Manage the cascade and prevent specificity problems.

```
@layer utilities {
  padding-sm {
    padding: 0.5rem;
  .padding-lg {
    padding: 0.8rem;
```

Learn more at: https://developer.chrome.com/blog/cascade-layers/

@layer framework, layout, utilities;

Learn more at: https://developer.chrome.com/blog/cascade-layers/

NEWLY INTEROPERABLE

NOW SUPPORTED IN ALL MAJOR BROWSER ENGINES.





Last baseline alignment

All major browser engines now support last baseline alignment in CSS grid and flexbox.



Rachel Andrew

Feb 20, 2023

CSS

Newly interoperable



Container queries land in stable browsers

This Valentine's day, we're celebrating size container queries and container query units landing in all stable browsers.



Una Kravets

Feb 14, 2023

CSS

Newly interoperable



The large, small, and dynamic viewport units

New CSS units that account for mobile viewports with dynamic toolbars.



Bramus

Nov 29, 2022

CSS

Newly interoperable



Size container queries

Testing the size of the container, rather than the viewport.



After two years the Bristol Balloon Fiesta was back. Most of Bristol could be found trekking up the hill at 5.30am to worship their strange hot-air demanding gods.



After two years the Bristol Balloon Fiesta was back. Most of Bristol could be found trekking up the hill at 5.30am to worship their strange hot-air demanding gods.

```
.element {
  container-type: inline-size;
}
```

```
• element {
   container-type: inline-size;
   container-name: sidebar;
}
```

```
@container (min-width: 500px) {
}
```

```
@container sidebar (min-width: 500px) {
}
```



Media queries range syntax

Streamline your media queries.

```
@media (min-width: 400px) {
/* Styles for viewports with a width
of 400 pixels or greater. */
}
```

Learn more at: https://developer.chrome.com/blog/media-query-range-syntax/

```
@media (width >= 400px) {
/* Styles for viewports with a width
of 400 pixels or greater. */
}
```

Learn more at: https://developer.chrome.com/blog/media-query-range-syntax/

```
@media (min-width: 400px) and (max-width: 600px)
{
/* Styles for viewports between
400px and 600px. */
}
```

Learn more at: https://developer.chrome.com/blog/media-query-range-syntax/


```
@media (400px <= width <= 600px ) {
/* Styles for viewports between
400px and 600px. */
}</pre>
```

Learn more at: https://developer.chrome.com/blog/media-query-range-syntax/



New color spaces and functions

The color(), lab(), lch(), oklab(), oklch(), and color-mix() CSS functions.




Learn more: https://developer.chrome.com/articles/high-definition-css-color-guide/

```
li {
 background-color: color-mix(in srgb, #34c9eb 10%, white);
li:nth-child(2) {
 background-color: color-mix(in srgb, #34c9eb 40%, white);
li:nth-child(3) {
 background-color: color-mix(in srgb, #34c9eb 70%, white);
```

Learn more: https://developer.chrome.com/blog/css-color-mix/

10% #34c9eb 40% #34c9eb 70% #34c9eb



Play with color at: https://gradient.style



Compression Streams API

A JavaScript API for compressing and decompressing streams of data.

```
const readableStream = await fetch('lorem.txt').then(
   (response) => response.body
);
const compressedReadableStream = readableStream.pipeThrough(
   new CompressionStream('gzip')
);
```

```
const decompressedStream = compressedStream.pipeThrough(
  new DecompressionStream('gzip')
);
```

Learn about streams at: https://web.dev/streams/

COMING SOON

INTEROP 2023 FEATURES.

STABLE

EXPERIMENTAL

INTEROP

INVESTIGATIONS

82



Chrome Dev



Edge Dev



Firefox Nightly



Safari **Technology Preview**

Active Focus Areas	Dev DEV			INTEROF
Border Image	99.6%	93.3%	99.5%	93.0%
Color Spaces and Functions	99.1%	94.8%	99.5%	94.3%
Container Queries	100%	89.6%	85.7%	81.1%
Containment	99.7%	97.1%	80.9%	79.1%
CSS Math Functions	97.8%	82.9%	87.1%	77.5%
CSS Pseudo-classes	92.8%	95.6%	92.9%	83.0%
Custom Properties	100%	4.8%	93.7%	4.8%
Flexbox	99.5%	96.9%	93.5%	92.6%
Font Feature Detection and Palettes	98.0%	100%	97.9%	96.2%
Forms	94.8%	93.9%	85.9%	80.1%
Grid	99.4%	88.2%	90.6%	82.5%
:has()	100%	24.5%	93.9%	24.5%
Inert	100%	100%	100%	100%
Masking	68.3%	94.7%	85.1%	62.5%
Media Queries 4	100%	97.9%	99.9%	97.9%
Modules	99.7%	92.0%	87.2%	85.9%
Motion Path	97.4%	90.9%	86.0%	82.6%
Offscreen Canvas	98.4%	96.6%	94.5%	93.5%
Pointer and Mouse Events	71.7%	86.2%	49.2%	35.4%
Scrolling	94.2%	93.4%	94.7%	87.7%
Subgrid	74.5%	84.9%	100%	59.4%
Transforms	98.0%	96.4%	97.6%	93.3%
URL	88.4%	88.0%	99.5%	85.4%
Web Codecs (video)	100%	1.3%	61.4%	1.3%
Web Compat 2023	76.2%	69.7%	97.7%	59.3%
Web Components	93.4%	96.5%	99.6%	91.3%
TOTAL	93.8%	82.6%	90.5%	74.0%



:has()

A parent selector.

```
    I do not contain any headings
    p>I contain a paragraph.
h2>I'm a level 2 heading!</h2>
h2>I'm a level 2 heading!</h2>
h2>I'm a level 2 heading!</h2>
Followed by a paragraph.
```

Learn more at: https://developer.chrome.com/blog/has-m105/

```
li:has(h2) {
  border: 5px solid red;
}
```

```
li:has(h2+p) {
  border: 5px solid red;
}
```



An article about balloons I couldn't be bothered to find an image for.



Read this excellent article about balloons.





Visit this excellent article about balloons.




Visit this excellent article about balloons.

Sorry, all out of balloon pictures.

```
li:not(:has(img)):before{
 content: "";
 aspect-ratio: 9/6;
 background: rgb(131,58,180);
 background: radial-gradient(circle,
    rgba(131,58,180,1) 0%,
    rgba(29,182,253,1) 50%,
    rgba(252,69,108, 9) 100%);
 border-radius: .5em;
```



Read this excellent article about balloons.



An article about balloons I couldn't be bothered to find an image for.




Visit this excellent article about balloons.



Visit this excellent article about balloons.



Visit this excellent article about balloons.




Sorry, all out of balloon pictures.



Subgrid for CSS grid layout

Allow child grids to inherit track sizing from their parent.

```
subgrid {
 grid-column: auto / span 3;
 display: grid;
 grid-template-columns: subgrid;
.grid {
 display: grid;
 grid-template-columns: 1fr 1fr 1fr;
 grid-auto-rows: minmax(100px, auto);
 gap: 10px;
```



A longer header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

A longer header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

A longer header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

Header

Jolly Dasher decorate elf candy cane decorate angel, fruitcake holiday nutcracker toys.

```
.grid {
 display: grid;
 grid-template-columns: 1fr 1fr;
 gap: 20px;
.card {
 grid-row: auto / span 2;
 display: grid;
 grid-template-rows: subgrid;
 gap: 1px;
```

Learn more at: https://I2daysofweb.dev/2022/css-subgrid/







85

Soon!

16.4

@property

Define type, default values, and inheritance for CSS custom properties.

```
:root {
   --colorHilite: rebeccapurple;
}

element {
   --colorHilite: 2;
   background-color: var(--colorHilite);
}
```

```
@property --colorHilite {
    syntax: '<color>';
    initial-value: rebeccapurple;
    inherits: false;
}
```



What's next for Baseline?

We want your feedback at: https://github.com/web-platform-dx/feature-set/issues



Feature grouping

Aiming to complete by the end of 2023.



Baseline 24 ... 25 ...

A yearly moment in time, showing what the state of the web platform is at that point.

https://noti.st/rachelandrew/LMVsa1/

