A GUIDE TO PERFECTING PULL REQUESTS

Presented by Kara Luton
@karaluton

ABOUT ME

- ➔ Based in Nashville, TN
- ➔ Former ballerina
- ➔ Previously worked as a music publicist
- ➔ Bootcamp graduate in 2016
- ➔ UI Engineer at CrowdStrike



What makes a good pull request?

@karaluton



What is your PR’s story?

@karaluton


COMMIT
MESSAGES


SUBJECT LINE
CONCISE OVERVIEW


BODY
PROVIDES ADDITIONAL CONTEXT


✓ Update error message instructions
Browse files
Since Ember 3.25 it's unnecessary to pass a helper or modifier class to the corresponding template keyword before you can use them. They are first-class values that can be used directly.
This updates the error message to stop suggesting the now-unnecessary use of the helper and modifier keywords.
master (#19950)
v4.4.0-alpha.6 ... v4.4.0-alpha.2
ef4 committed on Feb 9
1 parent 7eb9592 commit 45861c096c66b0629983505bcd821e17a3f6ab2f

@karaluton

@karaluton

- PR fixes
- Add tests
- Fix: form
- Summary component
- Implement form mock data
- Form functionality
- Create
- Add ne

- Test: Add new details acceptance test
- Feat: Add summary component to details page
- Feat: Implement contact form and add integration tests
- Feat: Add new details route

PR fixes commit gets broken up and squashed into granular commits

Fix: form commit gets squashed

@karaluton


THE SIZE OF
OUR STORY

“Every module, class or function in computer programming should have responsibility over a single part of that program’s functionality, and it should encapsulate that part. All of that module, class or function’s services should be narrowly aligned with that responsibility.”



I Am Devloper
@iamdevloper

10 lines of code = 10 issues.

500 lines of code = "looks fine."

Code reviews.

3:58 AM · Nov 5, 2013



@karaluton


Updated API links in guides/3.15.0
#1508 by ijlee2 was merged on Aug 4, 2020 • Approved
Updated API links in guides/3.16.0
#1507 by ijlee2 was merged on Aug 4, 2020 • Approved
Updated API links in guides/3.17.0
#1506 by ijlee2 was merged on Aug 4, 2020 • Approved
Updated API links in guides/3.19.0
#1505 by ijlee2 was merged on Aug 4, 2020 • Approved

@karaluton



@karaluton

OUR STORY'S INTRODUCTION


Use CSS instead of utility classes from ESNote - to allow HTML to be backwards compatible #413
Code
Merged
mansona merged 1 commit into ember-learn:master from NullVoxPopuli:eliminate-utilities-from-es-note on Jan 25

[BREAKING] Upgrade to latest Ember and make 3.16 the lowest supported version #370
Code
Merged
mansona merged 4 commits into master from upgrade on Mar 4, 2021

THE PR
DESCRIPTION

THE “WHAT”



THE “WHY”

THE “HOW”

@karaluton


NullVoxPopuli commented 21 days ago • edited
Contributor
Implementation prompted by: #901
This will enable users:
to switch to their preferred language
help translate to their preferred language
not need to worry about the technical details of how to setup ember-intl
Non-goals:
actually do translations for non-english (PRs very welcome for that)
Open for discussion:
keep everything in git? or lean on something like CrowdIn? (or other translation service?)
I think CrowdIn has an embeddable widget to allow folks to translate without interacting with code
I can set this up and own it if folks want to see how it works / a demo, etc
Remaining Requirements:
need to lessen the barrier to contribution / translation submission (potentially via in-site widget)
need to have a way to display when translations are out of date on a specific page (most useful for the guides)
need to polish up the language switcher
Developing:
locally, there will be "missing translation" errors", but in production a fallback of english is configured
Notes on the PR:
translation switcher needs work, what is in this PR is the bare minimum to demonstrate the functionality
sample translations are from google translate, so, we'll see if native speakers agree with a machine or not (not required for merging, but just demonstration in this PR)
2
1

@karaluton


ADDING
VISUALS

“Visuals transmit information faster than spoken or written words. We can get a sense of the visual scene in less than 1/10th of a second and visuals are processed 60,000 times faster in the brain than text.”

@karaluton

BEFORE



AFTER



@karaluton

YOUR COWORKERS WHEN YOU ADD AWESOME VISUALS TO YOUR PRs

@karaluton



JUST KIDDING

BECOME YOUR OWN REVIEWER

@karaluton


NullVoxPopuli reviewed on Feb 20
View changes
app/templates/index.hbs
210 185
211 186 <ul class="list-unstyled">
212 - Ember Weekend
213 - Ember Map Podcast
187 + {{t "index.learning.podcasts.list" htmlSafe=true}}
NullVoxPopuli on Feb 20
Contributor
Author
By putting the whole list in a translation, different languages can either
swap these with links to the same resources in a different language (maybe that's supported via query params or something),
add language-specific resources
replace all the links entirely
Reply...

@karaluton


NullVoxPopuli reviewed on Feb 20
View changes
package.json
@@ -26,6 +26,9 @@
"start": "ember serve",
"test": "ember test"
},
+ "overrides": {
+ "ember-cli-babel": "^7.26.11"
NullVoxPopuli on Feb 20
added this because the console warnings about a bunch of different ember-c
app look unmaitained
Reply...
NullVoxPopuli reviewed on Feb 20
View changes
package.json
@@ -108,6 +112,7 @@
"algoliasearch"
],
"volta": {
- "node": "14.16.0"
+ "node": "14.16.0",
+ "npm": "8.5.1"
NullVoxPopuli on Feb 20
Contributor
Author
npm 8+ required for overrides
Reply...

@karaluton


THE
CONVERSATION
IS JUST BEGINNING

UNDERSTAND YOUR REVIEWER'S PERSPECTIVE



@karaluton

ASK FOR
CLARIFICATION...


...AND PROVIDE CLARIFICATION

ADDRESS
ALL COMMENTS


16 - We're all authors :star:
16 + We're all authors :star: :stars:
lecoursen 4 hours ago • edited
I think this is too many emojis.
octocat 4 hours ago • edited
I agree. I'll remove one.
Reply...
Resolve conversation

@karaluton

LINK TO FOLLOW UP TICKETS



YOU DID IT!

@karaluton



@karaluton