

על עמך

nuqjatlh

Co to k... znaczy?

What does it mean?

taH pagh taHbe' (To be or not to be)

“Klingon Hamlet” coming to Warsaw

On their Earth-wide tour the Kronos ensemble “Art Is a Weapon” will guest on 9 May 2315 at Warsaw’s Och-teatr to perform Wil'yam Shex'pir's “Hamlet” in original Klingon language.

Grójecka 65, begin 20:00, tickets 42 €

och-teatr.example/hamlet



<article>

<header>

<h1> taH pagh taHbe' (To be or not to be)

<p> “Klingon Hamlet” coming to Warsaw

<p> On their Earth-wide tour the Kronos ensemble “Art Is a Weapon” will guest on 9 May 2315 at Warsaw’s Och-teatr to perform Wil'yam Shex'pir's “Hamlet” in original Klingon language.

<p> Grójecka 65, begin 20:00, tickets 42 €

<a> och-teatr.example/hamlet

<footer>



```
<article lang="en">
```

```
<header>
```

```
<h1>taH pagh taHbe' (To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art Is a Weapon"  
will guest on 9 May 2315 at Warsaw's Och-teatr to perform  
Wil'yam Shex'pir's "Hamlet" in original Klingon language.</p>
```

```
<p>Grójecka 65, begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<a href="http://och-teatr.example/hamlet">
```

```
och-teatr.example/hamlet</a>
```

```
</footer>
```

```

```

```
</article>
```




QA'VIN LATLH TU'LUM HINOBNES!

```
<html lang="tlh">
```

```
<h1>qa'vIn latlh tu'lum HinobneS!</h1>
```

```
h1 { text-transform: uppercase }
```




qa'vin latlh tu'lum hinobnes!

```
<html lang="tlh">
```

```
<h1>qa'vIn latlh tu'lum HInobneS!</h1>
```

```
h1 { text-transform: lowercase }
```




qa'vIn latlh tu'lum HInobneS!

```
<html lang="tlh">
```

```
<h1>qa'vIn latlh tu'lum HInobneS!</h1>
```

```
h1 { text-transform: lowercase }
```

```
:lang(tlh) { text-transform: none !important}
```



NOCH EIN TÄSSCHEN KAFFEE, BITTE!

```
<html lang="de">
```

```
<h1 class="uppercase">Noch ein Tässch
```

```
.uppercase
```

```
.lowercase
```

noch ein tässchen kaffee, bitte!

Noch ein Tässchen Kaffee, bitte!

```
<html lang="de">
```

```
<h1 class="lowercase">Noch ein Tässchen Kaffee, bitte!</h1>
```

```
.uppercase { text-transform: uppercase }
```

```
.lowercase { text-transform: lowercase }
```

```
.lowercase:lang(de) { text-transform: none }
```



```
sschen Kaffee, bitte!</h1>
```

```
rcase }
```

```
rcase }
```



```
<article lang="en">
```

```
  <header>
```

```
    <h1>taH pagh taHbe' (To be or not to be)</h1>
```

```
    <p>"Klingon Hamlet" coming to Warsaw</p>
```

```
  </header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art  
Is a Weapon" will guest on 9 May 2315 at Warsaw's  
Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in  
original Klingon language.</p>
```

```
<p>Grójecka 65, begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
  <a href="http://och-teatr.example/hamlet">
```

```
    och-teatr.example/hamlet</a>
```



```
<article lang="en">
```

```
  <header>
```

```
    <h1><i lang="tlh">taH pagh taHbe' </i> (To be or not  
      to be)</h1>
```

```
    <p>"Klingon Hamlet" coming to Warsaw</p>
```

```
  </header>
```

```
  <p>On their Earth-wide tour the Kronos ensemble "Art  
    Is a Weapon" will guest on 9 May 2315 at Warsaw's  
    Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in  
    original Klingon language.</p>
```

```
  <p>Grójecka 65, begin 20:00, tickets 42 €</p>
```

```
  <footer>
```

```
    <a href="http://och-teatr.example.com/hamlet">
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art
```

```
Is a Weapon" will guest on 9 May 2315 at Warsaw's
```

```
Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in
```

```
original Klingon language.</p>
```

```
<p>Grójecka 65, begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<a href="http://och-teatr.example.com/hamlet">
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On
```

```
Is a
```

```
0ch-
```

```
orig
```

```
<p>Gró
```

```
<footer>
```



Gunnar Bittersmann @g16n · May 8

Using HTML's `translate` attribute: <http://www.w3.org/International/questions/qa-translate-flag>

Using and <i> elements: <http://www.w3.org/International/questions/qa-b-and-i-tags> #fronttrends



"Art
aw's
et" in

```
<a href="http://0ch-teatr-examples/hamlet">
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art
```

```
Is a Weapon" will guest on 9 May 2315 at Warsaw's
```

```
Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in
```

```
original Klingon language.</p>
```

```
<p>Grójecka 65, begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<a href="http://och-teatr.example.com/hamlet">
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art Is a Weapon" will guest on 9 May 2315 at Warsaw's Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in original Klingon language.</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,  
begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<article lang="en">
```

```
  <header>
```

```
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
      (To be or not to be)</h1>
```

```
    <p>"Klingon Hamlet" coming to Warsaw</p>
```

```
  </header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art
```

```
  Is a Weapon" will guest on 9 May 2315 at Warsaw's
```

```
  Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in  
  original Klingon language.</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
  begin 20:00, tickets 42 €</p>
```

```
</article>
```



```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art  
Is a Weapon" will guest on 9 May 2315 at Warsaw's
```

```
<span lang="pl" translate="no">Och-teatr</span>
```

```
to perform Wil'yam Shex'pir's "Hamlet" in original  
Klingon language.</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
begin 20:00 tickets 12.6</p>
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art
```

```
Is a Weapon" will guest on 9 May 2315 at Warsaw's
```

```
<span lang="pl" translate="no">Och-teatr</span>
```

```
to perform Wil'yam Shex'pir's "Hamlet" in original
```

```
Klingon language.</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
begin 20:00 tickets 12.6</p>
```



```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art  
Is a Weapon" will guest on
```

```
<time>
```

```
9 May 2315
```

```
</time>
```

```
at Warsaw's
```

```
<span lang="tlh" translate="no">Qeb teatr</span>
```

```
<article lang="en">
```

```
<header>
```

```
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
```

```
(To be or not to be)</h1>
```

```
<p>"Klingon Hamlet" coming to Warsaw</p>
```

```
</header>
```

```
<p>On their Earth-wide tour the Kronos ensemble "Art  
Is a Weapon" will guest on
```

```
<time datetime="2315-05-09">
```

```
9 May 2315
```

```
</time>
```

```
at Warsaw's
```

```
<span lang="tlh" translate="no">Qob teatr</span>
```

Is a Weapon" will guest on
<time datetime="2315-05-09">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

<p>Grójecka 65,
begin **20:00**, tickets 42 €</p>

<footer>

Is a Weapon" will guest on

<time datetime="2315-05-09T20:00">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

<p>Grójecka 65,

begin 20:00, tickets 42 €</p>

<footer>

Is a Weapon" will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

<p>Grójecka 65,

begin 20:00, tickets 42 €</p>

<footer>

event

taH pagh taHbe' (To be or not to be)

name “Klingon Hamlet” coming to Warsaw

On their Earth-wide tour the Kronos

performer ensemble “Art Is a Weapon” will guest


date on 9 May 2315 at Warsaw’s Och-teatr **location**


to perform Wil'yam Shex'pir's “Hamlet” **work**
in original Klingon language.

address Grójecka 65, begin **time** 20:00, tickets **price** 42 €

url och-teatr.example/hamlet

image






**"semantic"
markup**

**semantic
markup**

A Venn diagram consisting of two overlapping circles. The left circle is labeled 'HTML' and the right circle is labeled 'semantic markup'. The overlapping area in the center is empty.

HTML

**semantic
markup**



```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p>"Klingon Hamlet" coming to Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
    at Warsaw's
```

```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p>"Klingon Hamlet" coming to Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
    at Warsaw's
```

```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p class="summary">"Klingon Hamlet" coming to
      Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
```

```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p class="summary">"Klingon Hamlet" coming to
      Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
```

```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p class="summary">"Klingon Hamlet" coming to
      Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
```

```
<article lang="en" class="vevent">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p class="summary">"Klingon Hamlet" coming to
      Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time class="dtstart"
      datetime="2315-05-09T20:00+02:00">
      9 May 2315
```

<p class="summary">"Klinton Hamlet" coming to
Warsaw</p>

</header>

<p>On their Earth-wide tour the Kronos ensemble "Art
Is a Weapon" will guest on

<time class="dtstart"

datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original

kl... /

<p class="summary">"Klingon Hamlet" coming to
Warsaw</p>

</header>

<p>On their Earth-wide tour the Kronos ensemble "Art
Is a Weapon" will guest on

<time class="dtstart"

datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>


at Warsaw's


<span class="location" lang="pl"

translate="no">0ch-teatr

... with ... "u ..."

```
<article lang="en" class="h-event">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p class="p-summary">"Klingon Hamlet" coming to
      Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time class="dt-start"
      datetime="2315-05-09T20:00+02:00">
      9 May 2315
```





Klingon "Hamlet"

Art Is a Weapon

2315-05-09T20:00+0

Location

Och

Address

Event

.../shexpir.jpg

eatr.example/hamlet

€

Work


Shyam Shex'pir

R D F



type


or



subject <http://och-teatr.example/events/hamlet>

predicate <http://och-teatr.example/ns/name>

object "Klingon "Hamlet" "




```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .
```

```
subject <http://och-teatr.example/events/hamlet>
```

```
predicate <http://och-teatr.example/ns/type>
```

```
object <http://och-teatr.example/ns/Event>
```



```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .
```

subject <http://och-teatr.example/events/hamlet>

predicate <http://och-teatr.example/ns/location>


object

<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .

subject <http://och-teatr.example/events/hamlet>

predicate <http://och-teatr.example/ns/location>

object _:1





```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .
```

subject _:1

predicate <http://och-teatr.example/ns/type>

object <http://och-teatr.example/ns/Location>




```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .
```

subject _:1

predicate <http://och-teatr.example/ns/name>

object "Och-teatr"




```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .
```


subject _:1

predicate <http://och-teatr.example/ns/address>

object _:2



```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .
_:1 <http://och-teatr.example/ns/address> _:2 .
```




```
<?xml version="1.0" encoding="utf-8"?>
<rdf:RDF
  xmlns:ns1="http://och-teatr.example/ns/"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
>
  <rdf:Description rdf:about="http://och-teatr.example/events/hamlet">
    <ns1:type rdf:resource="http://och-teatr.example/ns/Event"/>
    <ns1:location>
      <rdf:Description rdf:nodeID="f39b5fe0ba30b46efb695cf3b0105f516b1">
        <ns1:type rdf:resource="http://och-teatr.example/ns/Location"/>
        <ns1:address rdf:nodeID="f39b5fe0ba30b46efb695cf3b0105f516b2"/>
        <ns1:name>Och-teatr</ns1:name>
      </rdf:Description>
    </ns1:location>
    <ns1:name>Klinton "Hamlet"</ns1:name>
  </rdf:Description>
</rdf:RDF>
```

```
{
  "@context": {
    "rdf": "http://www.w3.org/1999/02/22-rdf-syntax-ns#",
    "rdfs": "http://www.w3.org/2000/01/rdf-schema#",
    "xsd": "http://www.w3.org/2001/XMLSchema#"
  },
  "@graph": [
    {
      "@id": "http://och-teatr.example/events/hamlet",
      "http://och-teatr.example/ns/location": {
        "@id": "_:f61a48b11697a44d29a9dd9add87bdb18b1"
      },
      "http://och-teatr.example/ns/name": "Klingon "Hamlet"",
      "http://och-teatr.example/ns/type": {
        "@id": "http://och-teatr.example/ns/Event"
      }
    },
  ],
  [
```

```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

readable

```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

understandable?


```
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://och-teatr.example/ns/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://och-teatr.example/ns/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org


```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://schema.org/location> _:1 .  
_:1 <http://och-teatr.example/ns/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://schema.org/location> _:1 .  
_:1 <http://schema.org/type> <http://och-teatr.example/ns/Location> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://schema.org/location> _:1 .  
_:1 <http://schema.org/type> <http://schema.org/Place> .  
_:1 <http://och-teatr.example/ns/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org

```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://schema.org/location> _:1 .  
_:1 <http://schema.org/type> <http://schema.org/Place> .  
_:1 <http://schema.org/name> "Och-teatr" .  
_:1 <http://och-teatr.example/ns/address> _:2 .
```

schema.org


```
<http://och-teatr.example/events/hamlet> <http://schema.org/name> "Klingon "Hamlet"" .  
<http://och-teatr.example/events/hamlet> <http://schema.org/type> <http://schema.org/Event> .  
<http://och-teatr.example/events/hamlet> <http://schema.org/location> _:1 .  
_:1 <http://schema.org/type> <http://schema.org/Place> .  
_:1 <http://schema.org/name> "Och-teatr" .  
_:1 <http://schema.org/address> _:2 .
```

schema.org

taH pagh taHbe' (To be or not to be) -

“Klingon Hamlet” coming to Warsaw

On their Earth-wide tour the Kronos ensemble “Art Is a Weapon” will guest on 9 May 2315 at Warsaw’s Och-teatr to perform Wil'yam Shex'pir's “Hamlet” in original Klingon language.

Grójecka 65, begin 20:00, tickets 42 €

och-teatr.example/hamlet



taH pagh ta

“Klingon H

On their Ear

ensemble “A


on 9 May 23

to perform W

in original K

Grójecka 65

och-teatr.exa



RDFa

```
<article lang="en"
  resource="http://och-teatr.example/events/hamlet">
  <header>
    <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
      (To be or not to be)</h1>
    <p>"Klingon Hamlet" coming to Warsaw</p>
  </header>
  <p>On their Earth-wide tour the Kronos ensemble "Art
    Is a Weapon" will guest on
    <time datetime="2315-05-09T20:00+02:00">
      9 May 2315
    </time>
```



```
<article lang="en"
  resource="http://och-teatr.example/events/hamlet"
  typeof="http://schema.org/Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p>"Klingon Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the Kronos ensemble "Art
  Is a Weapon" will guest on
  <time datetime="2315-05-09T20:00+02:00">
    9 May 2315
```

```
<article lang="en"
  resource="http://och-teatr.example/events/hamlet"
  typeof="http://schema.org/Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p>"Klingon Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the Kronos ensemble "Art
  Is a Weapon" will guest on
  <time datetime="2315-05-09T20:00+02:00">
    9 May 2315
```

```
<article lang="en"
  resource="http://och-teatr.example/events/hamlet"
  typeof="http://schema.org/Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="http://schema.org/name">"Klïngon
    Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the Kronos ensemble "Art
  Is a Weapon" will guest on
  <time datetime="2315-05-09T20:00+02:00">
```

<p>On their Earth-wide tour **the Kronos ensemble “Art Is a Weapon”** will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's “Hamlet” in original Klingon language.</p>

<p>Grójecka 65,
begin 20:00, tickets 42 €</p>

<footer>

<p>On their Earth-wide tour the

Kronos ensemble "Art Is a Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original

Klingon language.</p>

<p>On their Earth-wide tour the

<span property="http://schema.org/performer"
typeof="http://schema.org/Organization">

Kronos ensemble "Art Is a Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original

Włocławek, 10 maja 2015 r.

<p>On their Earth-wide tour the

Kronos ensemble **"Art Is a Weapon"**

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original

Włocławek, 10 maja 2015 r.

<p>On their Earth-wide tour the

Kronos ensemble

"Art Is a Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="http://schema.org/Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="http://schema.org/name">"Klingon
    Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="http://schema.org/performer"
    typeof="http://schema.org/Organization">
```



```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="http://schema.org/Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="http://schema.org/name">"Klingon
    Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="http://schema.org/performer"
    typeof="http://schema.org/Organization">
```

```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="http://schema.org/name">"Klingon
    Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="http://schema.org/performer"
    typeof="http://schema.org/Organization">
```

```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="http://schema.org/name">"Klingon
    Hamlet" coming to Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="http://schema.org/performer"
    typeof="http://schema.org/Organization">
```

```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="Event">
<header>
  <h1><i lang="t1h" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="name">"Klinton Hamlet" coming to
    Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="http://schema.org/performer"
    typeof="http://schema.org/Organization">
```

<p>On their Earth-wide tour the

<span property="performer"

typeof="http://schema.org/Organization">

Kronos ensemble

"Art Is a
Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

<p>On their Earth-wide tour the

Kronos ensemble

"Art Is a
Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

<p>On their Earth-wide tour the

Kronos ensemble

“Art Is a Weapon”

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

to perform Wil'yam Shex'pir's “Hamlet” in original

<p>On their Earth-wide tour the

Kronos ensemble

“Art Is a Weapon”

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

to perform Wil'yam Shex'pir's “Hamlet” in original

<p>On their Earth-wide tour the

Kronos ensemble

"Art Is a Weapon"

will guest on

<time datetime="2315-05-09T20:00+02:00">

9 May 2315

</time>

at Warsaw's

0ch-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original

<p>On their Earth-wide tour the

Kronos ensemble

"Art Is a Weapon"

will guest on

<time **property="startDate"**

datetime="**2315-05-09T20:00+02:00**">

9 May 2315

</time>

at Warsaw's

0ch-teatr

at **Warsaw's**

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

<p>Grójecka 65,
begin 20:00, tickets 42 €</p>

<footer>

och-teatr.example/hamlet

</footer>

</article>

at

Warsaw's

Och-teatr

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

<p>Grójecka 65,

begin 20:00, tickets 42 €</p>

<footer>

och-teatr.example/hamlet

at

```
<span property="location" typeof="Place">
```

Warsaw's

```
<span lang="pl" translate="no">Och-teatr</span>  
</span>
```

to perform Wil'jam Shex'pir's "Hamlet" in original
Klinton language.</p>

```
<p><span lang="pl" translate="no">Grójecka</span> 65,  
begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<a href="http://och-teatr.example/hamlet">  
och-teatr.example/hamlet</a>
```

at

```
<span property="location" typeof="Place">
```

Warsaw's

```
<span lang="pl" translate="no">Och-teatr</span>
```

```
</span>
```

to perform Wil'jam Shex'pir's "Hamlet" in original
Klinton language.</p>

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
<a href="http://och-teatr.example/hamlet">
```

```
och-teatr.example/hamlet</a>
```

at

```
<span property="location" typeof="Place">
```

Warsaw's

```
<span property="name" lang="pl" translate="no">
```

Och-teatr

```
</span>
```

```
</span>
```

to perform Wil'yam Shex'pir's "Hamlet" in original
Klinton language.</p>

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
begin 20:00, tickets 42 €</p>
```

```
<footer>
```


to perform **Wil'yam Shex'pir's "Hamlet" in original Klingon language.**

Grójecka 65,
begin 20:00, tickets 42 €

<footer>

[>](http://och-teatr.example/hamlet)

och-teatr.example/hamlet

</footer>



</article>

to perform

Wil'jam Shex'pir's "Hamlet" in original Klingon
language

.

</p>

<p>Grójecka 65,
begin 20:00, tickets 42 €</p>

<footer>

och-teatr.example/hamlet

</footer>

to perform

```
<span property="workPerformed"
```

```
  typeof="CreativeWork">
```

```
  Wil'yam Shex'pir's "Hamlet" in original Klingon  
  language
```

```
</span>.
```

```
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
  begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
  <a href="http://och-teatr.example/hamlet">
```

```
    och-teatr.example/hamlet</a>
```

to perform

```
<span property="workPerformed"
  typeof="CreativeWork">
```

```
  <span property="author">Wil'jam Shex'pir</span>'s
  "Hamlet" in original Klingon language
```

```
</span>.
```

```
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
  begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
  <a href="http://och-teatr.example/hamlet">
    och-teatr.example/hamlet</a>
```

to perform

```
<span property="workPerformed"
```

```
  typeof="CreativeWork">
```

```
  <span property="author">Wil'yam Shex'pir</span>'s
```

```
  “<span property="name">Hamlet</span>”
```

```
  in original Klingon language
```

```
  </span>.
```

```
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
  begin 20:00, tickets 42 €</p>
```

```
<footer>
```

```
  <a href="http://och-teatr.example/hamlet">
```


to perform

```
<span property="workPerformed"
  typeof="CreativeWork">
  <span property="author">Wil'yam Shex'pir</span>'s
  “<span property="name">Hamlet</span>”
  in original
```

```
<span property="inLanguage">
```

```
  Klingon language
```

```
</span>
```

```
</span>.
```

```
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

to perform

```
<span property="workPerformed"
  typeof="CreativeWork">
  <span property="author">Wil'yam Shex'pir</span>'s
  "<span property="name">Hamlet</span>"
  in original
  <span property="inLanguage" content="tlh">
    Klingon language
  </span>
</span>.
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

to perform

```
<span property="workPerformed"
  typeof="CreativeWork">
  <span property="author">Wil'yam Shex'pir</span>'s
  "<span property="name">Hamlet</span>"
  in original
  <span property="inLanguage" content="tlh">
    Klingon language
  </span>
</span>.
</p>
```

```
<p><span lang="pl" translate="no">Grójecka</span> 65,
```

```
<span property="location" typeof="Place">
```

Warsaw's

```
<span property="name" lang="pl" translate="no">
```

Och-teatr

```
</span>
```

```
</span>
```

to perform

```
<span property="workPerformed"
```

```
typeof="CreativeWork">
```

```
<span property="author">Wil'jam Shex'pir</span>'s
```

```
"<span property="name">Hamlet</span>"
```

```
in original
```



```
<span property="location" typeof="Place">
  <span property="address" typeof="PostalAddress">
    <span property="addressLocality">Warsaw</span>
    <meta property="addressCountry" content="PL"/>
  </span>'s
  <span property="name" lang="pl" translate="no">
    Och-teatr
  </span>
</span>
to perform
<span property="workPerformed"
  typeof="CreativeWork">
```

```
<span property="location" typeof="Place">
  <span property="address" typeof="PostalAddress"
    resource="_:postalAddress">
    <span property="addressLocality">Warsaw</span>
    <meta property="addressCountry" content="PL"/>
  </span>'s
  <span property="name" lang="pl" translate="no">
    Och-teatr
  </span>
</span>
to perform
<span property="workPerformed"
```

```
    Klingon language
  </span>
</span>.
</p>
<p>
  <span resource="_:postalAddress">
    <span lang="pl" translate="no">Grójecka</span> 65,
  </span>
  begin 20:00, tickets 42 €</p>
<footer>
  <a href="http://och-teatr.example/hamlet">
    och-teatr.example/hamlet</a>
```



```
    Klingon language
  </span>
</span>.
</p>
<p>
  <span resource="_:postalAddress">
    <span lang="pl" translate="no">Grójecka</span> 65,
  </span>
  begin 20:00, tickets 42 €</p>
<footer>
  <a href="http://och-teatr.example/hamlet">
    och-teatr.example/hamlet</a>
```

```
<span property="location" typeof="Place">
  <span property="address" typeof="PostalAddress"
    resource="_:postalAddress">
    <span property="addressLocality">Warsaw</span>
    <meta property="addressCountry" content="PL"/>
  </span>'s
  <span property="name" lang="pl" translate="no">
    Och-teatr
  </span>
</span>
to perform
<span property="workPerformed"
  typeof="CreativeWork">
  <span property="author">Wil'yam Shex'pir</span>'s
  "<span property="name">Hamlet</span>"
  in original
  <span property="inLanguage" content="tlh">
    Klingon language
  </span>
</span>.
</p>
<p>
  <span resource="_:postalAddress">
    <span lang="pl" translate="no">Grójecka</span> 65,
  </span>
```

Klingon language

.

</p>

<p>

Grójecka

65,

begin 20:00, tickets 42 €</p>

Klingon language

.

</p>

<p>

Grójecka

65,

begin **20:00**, tickets 42 €</p>

begin 20:00, **tickets 42 €**</p>

<footer>

och-teatr.example/hamlet

</footer>

</article>

```
begin 20:00,
```

```
<span property="price">
```

```
  tickets 42 €
```

```
</span>
```

```
</p>
```

```
<footer>
```

```
  <a href="http://och-teatr.example/hamlet">
```

```
    och-teatr.example/hamlet</a>
```

```
</footer>
```

```

```

```
</article>
```



```
begin 20:00,  
  <span property="offers" typeof="Offer">  
    tickets  
    <span property="price">42 €</span>  
  </span>  
</p>  
<footer>  
  <a href="http://och-teatr.example/hamlet">  
    och-teatr.example/hamlet</a>  
</footer>  
  
</article>
```

```
begin 20:00,  
<span property="offers" typeof="Offer">  
  tickets  
  <span property="price">42 €</span>  
  <link property="availability"  
    href="http://schema.org/InStock"/>  
</span>  
</p>  
<footer>  
  <a href="http://och-teatr.example/hamlet">  
    och-teatr.example/hamlet</a>  
</footer>
```

```
begin 20:00,  
<span property="offers" typeof="Offer">  
  tickets  
  <span property="price">42 €</span>  
  <link property="availability"  
    href="http://schema.org/InStock"/>  
</span>  
</p>  
<footer>  
  <a property="url"  
    href="http://och-teatr.example/hamlet">  
    och-teatr.example/hamlet</a>
```

```
<a property="url"
  href="http://och-teatr.example/hamlet">
  och-teatr.example/hamlet</a>
</footer>

</article>
```

```
<article lang="en" vocab="http://schema.org/"
  resource="http://och-teatr.example/events/hamlet"
  typeof="Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p property="name">"Klingon Hamlet" coming to
    Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span property="performer"
    typeof="Organization">
```

RDFa

```
<article lang="en"
  itemscope itemtype="Event">
<header>
  <h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
    (To be or not to be)</h1>
  <p itemprop="name">"Klingon Hamlet" coming to
    Warsaw</p>
</header>
<p>On their Earth-wide tour the
  <span itemprop="performer"
    itemscope itemtype="Organization">
```

 **microdata**

COFFEE GRINDERS *for the best* OUT OF YOUR BEANS



Peugeot
Coffee grinder **98 €** PICK *me*



Kalita
Coffee grinder **76 €** PICK *me*



Heyde
Coffee grinder **54 €** PICK *me*


```
<html id="page-products" vocab="http://schema.org">
```

```
<ul class="product-list">
```

```
<li typeof="Product">
```

```

```

```
<span property="name">...</span>
```

```
<span property="brand">...</span>
```

```
<span property="model">...</span>
```

```
</span>
```

```
<span property="description">...</span>
```

```
<span property="offers" typeof="Offer">
```

```
<span class="price">...</span>
```

```
<link property="availability" href="http://schema.org/InStock"/>
```

```
</span>
```

```
<button>Pick me!</button>
```

```
</li>
```

```
:
```

```
#page-products
```

```
{
```

```
  .product-list
```

```
{
```

```
  li { ... }
```

```
  [property="image"] { ... }
```

```
  [property="brand"] { ... }
```

```
  [property="model"] { ... }
```

```
  [property="description"] { ... }
```

```
  [property="price"] { ... }
```

```
  button { ... }
```

```
}
```

```
}
```

Look ma,
no classes!



Look ma,
no classes!



**Look ma,
no classes!**



FONT-TRENDS

- Klingon Hamlet ▶
 - Export Event
 - Add to 30 Boxes
 - Bookmark with Firefox
 - Add to Google Calendar
 - Add to Yahoo! Calendar
 - Export All
 - Debug

tar
"K
**To be or not to be)
coming to Warsaw**

On their Earth-wide tour the Kronos ensemble "Art Is a Weapon" will guest on 9 May 2315 at Warsaw's Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in original Klingon language.

Grójecka 65, begin 20:00, tickets 42 €

och-teatr.example/hamlet




Calendars + Day Week Month Year Search

May 2015

< Today >

Mon	Tue	Wed	Thu	Fri	Sat	Sun
27	28	29	30	1 May	2	3
4	5				9	10
11	12				16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1 Jun	2	3	4	5	6	7

Add event

 **Adding a new event**

This calendar contains a new event. Please select a destination calendar:

Privat

Cancel OK

och-teatr.example/hamlet

Calendars + Day Week **Month** Year Search

May 2315

< Today >

Mon	Tue	Wed	Thu	Fri	Sat	Sun
26	27	28	29	30	1 May	2
3	4	5	6	7	8 • Klingon Hamlet	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1 Jun	2	3	4	5	6

och-teatr.example/hamlet

May 2315

Mon	Tue	Wed	Thu	Fri	Sat	Sun
26	27	28	29	30	1 May	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1 Jun	2	3	4	5	6

Klingon Hamlet ▼

Och-teatr

09 May 2315 20:00 to 23:00

Add Invitees

<http://och-teatr.example/hamlet>

Add Notes or Attachments

och-teatr.example/hamlet

WARNING: This is beta software, there are [bugs](#). This tool is not yet ready for production use. That said, it's pretty useful already, and the bugs preventing production use will be sorted out soon.

Examples:

Person

Social Network

Event

Place

Product

SVG

```
<body>
<article lang="en" vocab="http://schema.org/"
resource="http://och-teatr.example/events/hamlet"
typeof="Event">
<header>
<h1><i lang="tlh" translate="no">taH pagh taHbe'</i>
(To be or not to be)</h1>
<p property="name">"Klingon Hamlet" coming to
Warsaw</p>
</header>
<p>On their Earth-wide tour the
<span property="performer" typeof="Organization">
Kronos ensemble
"<span property="name">Art Is a Weapon</span>"
</span>
will guest on
<time property="startDate"
datetime="2315-05-09T20:00+02:00">
9 May 2315
</time>
at
<span property="location" typeof="Place">
```

taH pagh taHbe' (To be or not to be)

"Klingon Hamlet" coming to Warsaw

On their Earth-wide tour the Kronos ensemble "Art Is a Weapon" will guest on 9 May 2315 at Warsaw's Och-teatr to perform Wil'yam Shex'pir's "Hamlet" in original Klingon language .


Grójecka 65 , begin 20:00, tickets 42 €

och-teatr.example/hamlet

Wil'yam Shex'pir

Visualization

Raw Data



LESE