PWAs Today

Ire Aderinokun Cofounder and VP Engineering @ Buycoins



Native Apps

The Web in 2015

Websites were **less capable**

Image from https://dribbble.com/shots/2518631-Notifications-Illustration-Animation




Websites had **no offline support**


11:23 ◀ ◀ Search


Safari cannot open the page because your iPhone is not connected to the internet.

Websites were harder to access









Progressive Web Apps use **modern web capabilities to deliver an app-like user experience**. They evolve from pages in browser tabs to immersive, top-level apps, maintaining the web's low friction at every moment.


https://developers.google.com/web/updates/2015/12/getting-startedpwa#what_is_a_progressive_web_app



Progressive Web Apps use modern web capabilities to deliver an app-like user experience. They evolve from pages in browser tabs to immersive, top-level apps, **maintaining the web's low friction** at every moment.

https://developers.google.com/web/updates/2015/12/getting-startedpwa#what_is_a_progressive_web_app








Capable Reliable Installable

Capable – uses modern APIs to deliver an applike experience







WEBASSEMBLY

Reliable – works well regardless of network









Installable – can be installed to the device and used outside the browser





https://pamp.rocks/







Standard website

Fully capable, reliable, and installable PWA


In 2016, PWAs weren't really "PWAs"

Push API 🗈 - WD

API to allow messages to be pushed from a server to a browser, even when the site isn't focused or even open in the browser.



BackgroundFetchEvent API



File System Access API - UNOFF

API for manipulating files in the device's local file system (not in a sandbox).



if (awesomeFeature in window) {

// do awesome thing

} else {

}

// same old thing



Status * Spec * Intro * Resources * GitHub

ServiceWorker enthusiasm

The first thing any implementation needs.



Firefox: Follow Bug 903441 for the latest development.

29+

Safari: Under consideration, Brief positive signals in five year plan.

Edge: Under consideration, but positive signals.

Support does not include iOS versions of third-party browsers on that platform (see Safari support).

23+

7.1 +

Promises

Not


https://web.archive.org/web/20160116200128/https://jakearchibald.github.io/isserviceworkerready/

36+

required by controlitor. open.


Service Workers **B**-**C**R

Method that enables applications to take advantage of persistent background processing, including hooks to enable bootstrapping of web applications while offline.



Why my Service Worker is always waiting to activate?

Asked 3 years, 6 months ago Active 3 years, 6 months ago Viewed 13k times





Add to Homescreen !== Install



Requirements for "Add to Home Screen"

- 1. A manifest.json file
- 2. A service worker
- 3. Visit frequency heuristics 🤥

https://googlechrome.github.io

io

or ▼ ^{UE} 1 4:40

Web App Install Banner Sample

Available in Chrome 42+ (for Android)

The web app install banner will prompt the user to add your web app to the users home screen. It will only prompt when a number of criteria have been met:

- The app uses a service worker
- The site is using SSL
- The app has a manifest declared
- The manifest has a `short_name`, 144 pixel icon and a type of 'image/png'

To see if this example works, come back in another day and you will see the banner.

If you are impatient and would like to force the



 \triangleleft

App Install Banner Sample googlechrome.github.io

0




×

Add to home screen (A2HS) ■ - wD

The ability for a user to "install" a website and use it as if it was a natively installed app. To enable this behaviour, a website must serve a valid Web App Manifest and load it's assets through a Service Worker.








PNA SUMMIT 2021

PWAs Today






~1,500,000 websites may be installable on mobile home screens, offering an app experience


https://firt.dev/pwa-2021



Almost **20% of page loads** are controlled by Service Workers

https://www.chromestatus.com/metrics/feature/timeline/popularity/990







How capable are PWAs today?









SAMSUNG

Project Fugu is an effort to **close gaps in the web's capabilities** by enabling new classes of applications to run on the web

http://www.chromium.org/teams/web-capabilities-fugu



New Web Capabilities and You

5:10 PM - 5:30 PM

Project Fugu, also known as the Web Capabilities project, is a cross-company effort between Google, Microsoft, Intel, and others, to identify, spec, and ship new powerful capabilities to the web without compromising the core safety of the platform. Learn about the process for shipping these new features, how to try them out and give feedback before they're finalized, what some of these new powerful APIs are like to use, and why you should start considering them for your project today.



Maye Edwin

What has been **shipped**? 🚀



PWAs today are **engaging**



12	2:52 🌑 🗖	ଟ ହିଲା । । । ।	13:47 🖿	Ğ
_	Notifications		< Push	notifications
Neb r	notifications		New matches You just got a new match	٦.
	Web notifications Enabled		Messages Someone sent you a nev	w message.
	Offline notifications Enabled		Message likes Someone liked your mes	ssage.
Sound	•	5	Super Like You've been Super Liked	J.
Privat	e Chats			
	Notifications for private cha Enabled	its		
	Message Preview Disabled			
Group	s			
	Notifications for groups Disabled			
	Message Preview Enabled			

of () 🛜 👘	12:00	C		12:52	•
s	← Push notificati @ireaderinokun	ions	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<	Push no
	Push notifications Get push notifications to find on Twitter. You can turn them		nen you're not	Likes	
	Turn on pu notificatio			O From	people I follow everyone seed liked your p
	To receive notification push notifications. You you're not on Twitter.	u'll also receive ther	n when	Comm	ents
	Turn on			O From	people I follow everyone seed commente
				Comm	ent likes a
				johnapples	people I follow seed liked your o lar notifications.
				you	and comm
	<u>ଡ</u> ି ପ୍	Ą	\sum		

Push notifications

nappleseed liked your photo.

omments

nappleseed commented: "Nice shot!"

omment likes and pins

nappleseed liked your comment: "Nice shot!" and er similar notifications.

kes and comments on photos of

 \bigcirc (+)

Web Notifications API

Notification.requestPermission();

new Notification("Hello PWA Summit!");

Push API

self.addEventListener('push', function(event) {

event.waitUntil(

self.registration.showNotification('Hello PWA Summit!', { body: 'Hi!' })

);

});

Web Notifications

Method of alerting the user outside of a web page by displaying notifications (that do not require interaction by the user).




Web Notifications


Method of alerting the user outside of a web page by displaying notifications (that do not require interaction by the user).





Push API

API to allow messages to be pushed from a server to a browser, even when the site isn't focused or even open in the browser.










App Badging API

navigator.setAppBadge(2);

navigator.clearAppBadge();






•	Badging	API	worth prototyping				
	Description	operating-system-specific place associated wi	applications to set an application-wide badge, show th the application (such as the shelf or home screen) the application has changed (e.g., when new messan notification.), for the			

PWAs today can interact with other apps





Web Share API

navigator.share({

title: "",

text: "",


url: "",

});



PWASUMMIT

A free, online, single-track conference focused on helping everyone succeed with Progressive Web Apps.



Web Share Target API

"share_target": {

"action": "compose/tweet",

"enctype": "multipart/form-data",


"method": "POST",

"params"

},

Web Share API

A way to allow websites to invoke the native sharing capabilities of the host platform





Global: 60.02% + 26.88% = 86.90%

Web Share Target API



PWAs today have real access to the device




Go to your personal profile



Ire Aderinokun

Your personal account 🛛 🔁 Switch to another account 👻



10:59 ■ 📾 🛱 🗇 🖘 🚛 🗎

Contact Picker API Demo

Access to the user's contacts has been a feature of native apps since (almost) the dawn of time. The **Contact Picker API** is a new, on-demand picker that allows users to select an entry or entries from their contact list and share limited details of the selected contact(s) with a website. It allows users to share only what they want, when they want, and makes it easier for users to reach and connect with their friends and family.

Note: This demo requires Chrome 80 or later running on Android M or later to work properly.


- Multiple results?
- Include name?
- Include email addresses?
- Include telephone numbers?
- Include addresses? (Chrome 84 and later)
- ✓ Include icons? (Chrome 84 and later)

This demo **does not** share or upload your contacts. It simply shows them on screen, and no contact data is transferred off this device.

Open contact picker

Results

· Results will be populated here.




prefers-color-scheme media query

Media query to detect if the user has set their system to use a light or dark color theme.

IE	Edge	Firefox	Chrome	Safari	iOS Safari	Opera Mini	Chrome for Android	Android Browser	Samsung Internet
9	91	90	91	13.1	14.4			4.4	12.0
10	92	91	92	14	14.7			4.4.4	13.0
	93	92	93	14.1	15	all	93	93	14.0
		93	94	15					



Global: 91.96% + 0% = 91.96%



File System Access API

API for manipulating files in the device's local file system (not in a sandbox).





PWAs today can work in the background





Media Session API

navigator.mediaSession.metadata = new MediaMetadata({


title: 'Champagne Poetry',


artist: 'Drake',

album: 'Certified Lover Boy',

artwork: [{ src: '.../512', sizes: '512x512', type: 'image/png' },]

});





Background Fetch API


navigator.serviceWorker.ready.then(async (registration) \Rightarrow {

```
await registration.backgroundFetch.fetch(
```


```
'video-fetch', ['/video.mp4'], { /* options */ }
);
```

});


Backg	round	FetchF	vent A	PI						Usag	e %o	f all users	\$?
Ducity	lound		verie /							Glo	bal		71.84%
Current alig	ned Usage	relative Dat	te relative	Filtered A	u 🌣								
IE	* Edge	Firefox	Chrome	Safari	Opera	Safari on [*] iOS	* Opera Mini	Android * Browser	Opera * Mobile	Chrome for Android	Firefox for Android	UC Browser for Android	Samsung Internet
	12-18		4-73		10-60								4-10.1
6-10	79-92	2-91	74-92	3.1-14	62-78	3.2-14.7		2.1-4.4.4	12-12.1				11.1 - 13.0
11	93	92	93	14.1	79	15	all	93	64	93	92	12.12	14.0
		93-94	94-96	15									
				TP									




Date




PeriodicSyncEvent API





Date



Browsers:


"We've launched 30+ features to make the web more capable"

Developers:

"New features you say?"

Developers:

Doesn't implement new features



	Fugu API Tracke	r	
STABLE	ВЕТА	DEV	
o Chromium 93	3 🕞 Chromium 94	🕞 Chromium 95	
Stable 21 days ago (Aug 31, 2021)	Stable in 0 days (Sep 21, 2021)	Stable in 28 days (Oct 19, 2021)	
Shipped <u>#</u>			•
Web Bluetooth API	<u>9 M56</u>		+
WebUSB API	<u>A M61</u>	👃 📢 🚱 🍏 🌞	+
Web Share Target	<u></u>		+
Web Share API Level 2	<u> 9 M75</u>		+
Web Share Target Level 2	<u>. M76</u>	.	+
Async Clipboard: Read and Write Ima	ages 🧑 M76	A 🚔 💶 👧 🖆	

https://fugu-tracker.web.app/

Planning a Progressive Web App

8:40 PM - 9:00 PM

A Progressive Web App can be as simple as adding a service worker and a manifest file to an existing website or as complex as <u>spotify.com</u>. How do you decide which features of a PWA make sense for your users and your business? What does it mean to be an "app" and how much does your PWA have to feel like one? This session will provide a framework for thinking about Progressive Web App features and how to put together a roadmap that delivers incremental improvements that benefit users.



Jason Grigsby



Gerardo Rodriguez

How capable are PWAs today?

Close to feature parity with native applications
 Platform parity

X Usage of features



How capable are PWAs today?

Close to feature parity with native
 Platform parity
 Usage of features





PAA SUMMIT 2021

How reliable are PWAs today?

is SERVICENDRKER ready

https://jakearchibald.github.io/isserviceworkerready/

Status * Spec * Intro * Resources * GitHub

is SERVICEWORKER ready




https://jakearchibald.github.io/isserviceworkerready/

Status * Spec * Intro * Resources * GitHub


Service Workers

Method that enables applications to take advantage of persistent background processing, including hooks to enable bootstrapping of web applications while offline.





Global: 95.78% + 0.09% = 95.87%







Cache JS & CSS

import {registerRoute} from 'workbox-routing';

import {StaleWhileRevalidate} from 'workbox-strategies';

registerRoute(

 $({request}) \Rightarrow request.destination \implies 'script' || request.destination \implies 'style',$

new StaleWhileRevalidate()

);

Offline Google Analytics

import * as googleAnalytics from 'workbox-google-analytics';

googleAnalytics.initialize();

Service Offline Page

```
const networkOnly = new NetworkOnly();
```

registerRoute(new NavigationRoute(async (params) ⇒ {

try {

```
return await networkOnly.handle(params);
```

```
} catch (error) {
```

return caches.match(FALLBACK_HTML_URL, { cacheName: CACHE_NAME });


}

}));









A **Y** () = Search • App shell App shell Step 1: Prepare the application App shell is a way to render a portion of your application via a route at build time. It can improve the user experience by quickly launching a static rendered page (a skeleton common to all pages) while the Step 2: Create the app shell browser downloads the full client version and switches to it automatically after the code loads. Step 3: Verify the app is This gives users a meaningful first paint of your application that appears quickly because the browser built with the shell can simply render the HTML and CSS without the need to initialize any JavaScript. content Learn more in The App Shell Model 2. Step 1: Prepare the application You can do this with the following CLI command:

=Q Search IK Create React App Making a Progressive Web App The production build has all the tools necessary to generate a first-class Progressive Web App, but the offline/cache-first behavior is opt-in only. Starting with Create React App 4, you can add a src/service-worker.js file to your project to use the built-in support for Workbox's InjectManifest plugin, which will compile your service worker and inject into it a list of URLs to precache. If you start a new project using one of the PWA custom templates, you'll get a src/service-worker.js file that serves as a good starting point for an offline-first service worker: npx create-react-app my-app --template cra-template-pwa The TypeScript equivalent is: npx create-react-app my-app --template cra-template-pwa-typescript If you know that you won't be using service workers, or if you'd prefer to use a different approach to creating your service worker, don't create a src/service-worker.js file. The InjectManifest plugin won't be run in that case. In addition to creating your local src/service-worker. is file, it needs to be registered before it will be used. In order to opt-in 📃

https://create-react-app.dev/docs/making-a-progressive-web-app/

Vue CLI Q Guide Config Reference Plugins • Migrating From v3 Changelog 🗠 Languages Interstanding for the service worker added with this plugin is only enabled in the production Pwa plugin for vue-cli The service worker added with this plugin is only enabled in the production

@vue/cli-plugin-babel

@vue/cli-plugin-eslint @vue/cli-plugin-pwa

Configuration

Project

@vue/cli-plugin-typescript

Example Configuration

Installing in an Already Created

Injected webpack-chain Rules

@vue/cli-plugin-e2e-cypress@vue/cli-plugin-e2e-nightwatch

@vue/cli-plugin-unit-jest @vue/cli-plugin-unit-mocha

environment (e.g. only if you run npm run build or yarn build). Enabling service worker in a development mode is not a recommended practice,

because it can lead to the situation when previously cached assets are used and the latest local changes are not included.

> Instead, in the development mode the noopServiceWorker.js is included. This service worker file is effectively a 'no-op' that will reset any previous service worker registered for the same host:port combination.

> If you need to test a service worker locally, build the application and run a simple HTTP-server from your build directory. It's recommended to use a browser incognito window to avoid complications with your browser cache.

Configuration

PWAs today are **offline-first**



•••

Q





*

Looks like you lost your connection. Please check it and try again.



Terms of Service Privacy Policy Cookie Policy Ads info More ··· © 2021 Twitter, Inc.





bitsofcode

R

• You're Offline!

Looks like you're not connected to the internet! No worries though, if you've saved any articles before, you'll see them listed below.

1 offline articles

Your first performance budget with Lighthouse

2:58 •••) 🕚 🖆 🚺 💵 🛧 63% 2:58 ••• 0 电 LTE 🚄 盲 63% **Trips Trips** Spokane Spokane Show arrival guide Show arrival guide Check-in tomorrow at 3:00 PM Check-in tomorrow at 3:00 PM

Entire cabin in Spokane Hosted by Dale Sep 21-22, 2021

Things to do near Spokane







Wishlists

Explore



Inbox

3

Profile

 \otimes

Trips





Sep 21-22, 2021

Things to do near Spokane



Entire cabin in Spokane Hosted by Dale

Creating Delightful User Experiences with PWAs

7:10 PM - 7:30 PM

Progressive Web Apps open up the ability to create moments of delight for our users that we otherwise couldn't do with regular websites. Learn how Airbnb's done just that to provide a high quality installation experience, seamless transitions, and an offline arrival guide across a multi-year, distributed effort.



Callie Riggins

Storage APIs

IndexedDB

Local Storage & Session Storage

Cache Storage



Securing PWA Authentication Offline

5:30 PM - 5:50 PM

Did you know you can secure your PWA and still support offline functionality? Learn how an app to help African fish farms authenticates users while still allowing them to work offline, in remote areas, and sync changes in the background, and how you can apply these lessons to your PWAs.



```
Jeroen Kocyigit
```

PWAs today are **fast**







The app "shell" is the **minimal HTML, CSS and JavaScript required to power the user interface** and when cached offline can ensure instant, reliably good performance to users on repeat visits. This means the application shell is not loaded from the network every time the user visits. Only the necessary content is needed from the network.

https://developers.google.com/web/fundamentals/architecture/app-shell



- Q Search Twitter
- ९ twi Google Search
- () twitter app
- () twitter app vs website
- Ire Aderinokun (@ireaderinokun) / **Twi**tter **twi**tter.com/ireaderinokun
- Votifications / Twitter twitter.com/notifications
- Home / Twitter twitter.com/home
 - Switch to this tab
- S Akinleye Oladipupo (@IREOLUWA) / Twitter twitter.com/ireoluwa





After launching Twitter Lite in 2017, the company saw a -

65% increase in pages per session75% increase in Tweets sent20% decrease in bounce rate

https://developers.google.com/web/showcase/2017/twitter



Twitter Lite is now the fastest, least expensive, and most reliable way to use Twitter.

The web app rivals the performance of our native apps but requires less than 3% of the device storage space compared to Twitter for Android.

- Nicolas Gallagher, Engineering Lead for Twitter Lite

https://developers.google.com/web/showcase/2017/twitter



tinder




Image from https://medium.com/@addyosmani/a-tinder-progressive-web-app-performance-case-study-78919d98ece0

Size: Comparing the PWA to the native apps




Image from https://medium.com/@addyosmani/a-tinder-progressive-web-app-performance-case-study-78919d98ece0

After launching its PWA, Thomas Kent lowered its bounce rate by 57% and increased the revenue from organic traffic by 79% .	Butcher of Blue's PWA increased mobile users by 154%, monthly active users by 154%, and conversion by 169%. Pages load 85% faster.	Kubota launched their e-commerce PWA which resulted in a 192% growth of daily visitors and 26% growth of average monthly visits.
#E-commerce #Revenue #Performance 🔗	#Conversions #E-commerce #Fashion 🔗	#Conversions #E-commerce #Fashion 🔗
Fashion brand Rooted Objects saw an increase in conversions of 162% after launching their PWA. Page load times decreased by 25% and average redirection time decreased by 80% .	Tajawal and Almosafer saw an increase of 3× in conversion rate from 0.3% to almost 1.2% within two weeks. Page load time decreased by 3× from 13s to 3.6s for time to interactive.	Debenhams found that the user journey from browsing to purchase was 2× to 4× on its PWA. The PWA delivered a 40% increase in mobile revenue and a 20% increase in conversion.
#Conversions #E-commerce #Fashion 🔗	#Conversions #Engagement #Offline #Performance #Service Worker #Travel	#Conversions #E-commerce #Performance 🔗
Commonfloor groups saw 2 × increase in daily active users and a 10% increase in overall traffic by moving to a PWA with app shell.	Streamling platform ZEE5 launched a PWA to expand its reach. The PWA is 3 × faster and reduced buffering time 50% .	The Starbucks PWA has increased daily active users 2 ×. Orders on desktop are nearly the same rate as mobile.
#App Shell #E-commerce #Performance #Social 🔗	#E-commerce #Media #Performance #Service Worker	#Conversions #E-commerce #Performance Ø #Service Worker
#App Shell #E-commerce #Performance #Social $\begin{tabular}{lllllllllllllllllllllllllllllllllll$		

https://www.pwastats.com/

SESSION

Performant Progressive Enhancement for PWAs

4:50 PM - 5:10 PM

When every byte matters and you need to support every user and every device, you need to embrace progressive enhancement from the service worker up. Supporting users who may not support Progressive Web Apps, on low-end devices, on expensive pre-paid internet plans, or while offline, requires rethinking of the core architecture of most PWAs. Performant progressive enhancement provides an approach that a research team at Illinois Institute of Technology in Chicago, in partnership with Howard Brown Health, has developed for these needs, allowing them, and you, to improve PWA user engagement for everyone



Karl Stolley



Kinza Haque



Steve N. Du Bois

PWAs today are **accessible**



The web **wins** at accessibility 🍈



Looking back over one full year since we started rebuilding our mobile web, we're so proud of the experience we've created for our users. Not only is it significantly faster, **it's also our first platform to support right-to-left languages** and "night mode". Investing in a full-featured PWA has exceeded our expectations. And we're just getting started

- Zack Argyle, Engineering Manager for Pinterest Core Experience

https://medium.com/pinterest-engineering/a-one-year-pwa-retrospective-f4a2f4129e05



Possible With Accessibility?

6:50 PM - 7:10 PM

Are PWAs possible with accessibility? The answer is a resounding *y*es, but it doesn't happen by accident. Accessibility is something you need to factor into everything, from your icons to your manifest to your PWA itself. Learn what you need to do to make your whole PWA experience accessible, from load to install and beyond.



Léonie Watson

How reliable are PWAs today?



Service worker, and it's tooling, are well supported

V PWAs are faster, more resilient, and more accessible



How reliable are PWAs today?

Service worker, and it's tooling, are ported

V PWAs are faster, more resilient, and more accessible



WA SUMMIT 2021

How installable are PWAs today?

Add to home screen (A2HS)

The ability for a user to "install" a website and use it as if it was a natively installed app. To enable this behaviour, a website must serve a valid Web App Manifest and load it's assets through a [Service Worker] (https://caniuse.com/#feat=serviceworkers).



🖌 🗶 Partial Support

Global: 73.94% + 13.74% = 87.68%












):50 ■	ب الم	20:42 √ Search 		•11 4G 💽	20:49 🗖		15:50 🌑 🖛	ଡ଼ୖଵୢ୷୶୷		15:51 🔵				୦ ୦ ଚିଲା କା
tiktok.com	C	Cancel	Add to Home Screen	Add	tiktok.com/?is_	_copy_url=1&is 7	Followi	ng For You	ê,	www.tikto	k.com			
Something went wrong					Eollowing	For You					Followi	ng Fo	or You	Ð
			FikTok					Participant in the Party in the	117		and the second second	-		
			nttps://www.tiktok.com/foryou							Add to	home	scree	n	.5
		An icon will be access this w	e added to your Home Screen so y ebsite.	vou can quickly	and the second second					Name – TikTok				7!
							Add to Home	escreen						
							Touch and hold to p	blace manually	@h Cute			с	ANCEL	ADD ^{.8}
to Home screen					Install app		TikTok	1×1	fatboy innny	/ #perfecta yy #fyp				
TikTok www.tiktok.com					J TikTok www.tiktok.com			0		The skinny	shorts o	onundru		<mark>بی</mark> ج C
Cancel	Add					Cancel Install			\langle	~ ?	GIF	Ê	\$ □	
0					Add TikTok to y	your home screen	Car	ncel Add automatically	q	w ² e ³	r ⁴	t v	u ⁷	i ⁸ 0
t the full experience on	the app					554	1 ADV							
v your favorite accounts, explore and create your own video					No	t now	@bts_official_bighit @ 생 : : : : : : : : : : : : : : : : : : :		а	s (f	g	h j	k I
Open TikTok							d Permission to Dance	Butter	仑	z	с	v	b n	m 🗵
Not now					@promisespamidk J und - idk original sou		f Q	+ 🖓 🎗	?123	, @				
>	1 ~					+ E S	tiktok.com	1						


1. Web app manifest

App Manifest manifest.json	
Identity	
Name	Twitter
Short name	Twitter
Description	Get breaking news, politics, trending music, world events, sports scores and the lates
	global news stories as they unfold – all with less data.
Presentation	
Start URL	https://twitter.com/?utm_source=homescreen&utm_medium=shortcut
Theme color	
Background color	
Orientation	
Display	standalone
Icons	
Show only the minim	um safe area for maskable icons
Need help? Read <u>docum</u>	entation on maskable icons.
Primary icon as used by	
Chrome	
192×192px	
image/png	

- 1. Web app manifest
- 2. HTTPS



- 1. Web app manifest
- 2. HTTPS
- 3. Service worker (which returns a 200 response when offline)



- 1. Web app manifest
- 2. HTTPS
- 3. Service worker (which returns a 200 response when offline)
- 4. User engagement heuristic

More control over the install flow



Detect if a PWA can be installed

window.addEventListener('beforeinstallprompt', (e) \Rightarrow {

});



PNA SUMMIT 2021

Save install prompt for later

let installPrompt;

```
window.addEventListener('beforeinstallprompt', (e) ⇒ {
    e.preventDefault();
    installPrompt = e;
});
```




Detect if a PWA has been installed

window.addEventListener('appinstalled', (e) \Rightarrow {

});





More control over the launch experience






10:04







Instagram

O)



Splash Screen


"name": "...",

{

}

"background_color": "...",

"icons": ["sizes": "512x512", "type": "image/png", "src": "..."],



App Shortcuts

"shortcuts": [{

"name": "New Tweet",


"url": "/compose/tweet",

"icons": [{ /* ... */}]

}]

}

{



Run on OS Login

navigator.runOnOsLogin.set({ mode: "windowed" }).then(() ⇒ {

// Permission approved

});

Make your PWAs Look and Launch Beautifully

6:30 PM - 6:50 PM

Building beautiful-looking icons and splash screen images for your PWA is an important aspect of the launch experience for your users. Discover the current, and upcoming, web standards to make for beautiful launch experiences, how to make them great on different platforms, and automation approaches to help you on your way toward creating stunning launch experiences for your PWAs.



Önder Ceylan


Add to Homescreen == Install




WebAPK


A WebAPK is an Android Application Package (APK) **automatically generated from a PWA** and installed to the device.







In the app drawerIn app settings



✓ In the app drawer

✓ In app settings

✓ Includes intent filters

"start_url": "/",
"display": "standalone",

7

<intent-filter>

<action android:name="android.intent.action.VIEW" />
<category android:name="android.intent.category.DEFAULT" />
<category android:name="android.intent.category.BROWSABLE" />
<data</pre>

android:scheme="https"
android:host="example.com"
android:pathPrefix="/" />
</intent-filter>



PAA builder

Ship your PWA to the app stores at lightning speed.

Test

PWABuilder will make sure your web app is a PWA and ready for the stores!

Package

Explore

Manage

Our Report Card will let you

know if your PWA is store-

ready. If not, PWABuilder will help you get there!

PWAs are moving forward fast,

Start

learn about new web APIs,

store readiness, and more!

Once you are ready, PWABuilder can package your PWA for the app stores in minutes!


Enter the URL to your PWA





Resour

https://www.pwabuilder.com/



https://www.pwabuilder.com/

Bringing your PWA to App Stores

8:20 PM - 8:40 PM

App stores are an important distribution channel for Progressive Web Apps; they provide exposure alongside the other apps users are searching for, and have built-in ways to manage purchases and subscriptions. In this talk, BeFunky will share their experience launching their PWA into the Play store, from bundling it for release to integrating with Play payments with the Digital Goods and Payment Request APIs, all while sharing what they've learned and what getting into an app store has done for their product.



Micah Engle-Eshleman





Image from https://www.ateamindia.com/what-are-pwa-and-twa/

Trusted Web Activity is a way to **open your PWA from your Android app** using a protocol based on Custom Tabs

https://developers.google.com/web/android/trusted-web-activity








https://github.com/GoogleChromeLabs/bubblewrap













SAKA



RESPUCT

"Given the overlap in terms of capabilities, we often get asked about the recommended approach: PWA or UWP (Universal Windows Platform). **We see this as a false dichotomy!** ... the choice between PWA and native should be evaluated on a case-by-case basis."

https://blogs.windows.com/msedgedev/2018/02/06/welcoming-progressive-web-apps-edge-windows-10/#Vsxe9rFMkrMQbXiJ.97



"Given the overlap in terms of capabilities, we often get asked about the recommended approach: PWA or UWP (Universal Windows Platform). We see this as a false dichotomy! ... **the choice between PWA and native should be evaluated on a case-by-case basis**."

https://blogs.windows.com/msedgedev/2018/02/06/welcoming-progressive-web-apps-edge-windows-10/#Vsxe9rFMkrMQbXiJ.97



Building Culture, Process, and Organization for Web Engineering at Scale

9:00 PM - 9:20 PM

On our Web Client team, we're on one of the biggest hiring sprees in our company's history. Over 50% of today's contributors didn't work here at the start of 2021. And, as with any company, that means technical, cultural, and professional growing pains. Learn from our experience of scaling development from tens to hundreds, and hear about techniques we used to support and nourish fledgling client teams and their engineers.



Charlie Croom



Marina Zhao

How installable are PWAs today?

V "Add to Homescreen" is well supported

More control over the install experience

- **V** Deeper integration with the device
- X Platform parity



How installable are PWAs today?

"Add to Homescreen" is well support
More control over the install experi


V Deeper integration with the device

× Platform parity




PWAs Tomorrow








All the APIs!




File Handling API (Origin Trial)

https://github.com/WICG/file-handling/blob/main/explainer.md




Tabbed Application Mode (Developer Trial)



https://web.dev/tabbed-application-mode/

Install-Time Permissions (Under Consideration)

https://github.com/MicrosoftEdge/MSEdgeExplainers/blob/main/ InstallTimePermissionsPrompt/Explainer.md



Honourable mentions


Offline-only PWAs Detecting orientation change events Widgets Detect/block screenshots Splash screen API

Local font access



Only Alp Ost 20% of page loads are controlled by Service Workers

https://www.chromestatus.com/metrics/feature/timeline/popularity/990



Date

































Web on Everything!



Future of Web Apps Panel

10:00 PM - 11:00 PM

A live, moderated panel where industry experts from Google, Microsoft, Intel, Samsung, and the W3C will discuss the future of web apps and take questions from attendees.

Thank you!

Ire Aderinokun 📭 COO & VP Engineering of Buycoins Google Web Expert

ireaderinokun.com bitsofco.de @ireaderinokun

