








set the basics right for better templating


http://www.flickr.com/photos/unloveable/2396019222

















create your own

Page generation xml instructions for each module

app/design/frontend/default/yourtheme/layout app/design/frontend/default/yourtheme/template

Content block .phtml files for each module

skin/frontend/default/yourtheme/css skin/frontend/default/yourtheme/images

Visual layout info and files & UI-specific Javascript

a well coded theme


should have to following traits

- a single layout file, named local.xml, where all layout updates are placed.
- no layout files with the same name as any layout file in the base theme
- no css files with the same name as any css file in the default skin ← create local.css
- no .phtml template files, except for those that were modified to support the new theme.


usually this number will be very small


```
<
```


your theme starts
with local.xml




















```
</reference>
        <reference name="right">
           <block type="catalog/product_compare_sidebar" before="cart_sidebar" name="catalog.compare.sidebar" template="catalog/product/compare/s</pre>
           <block type="core/template" name="right.permanent.callout" template="callouts/right_col.phtml">
               <action method="setImgSrc"><src>images/media/col_right_callout.jpg</src></action>
               <action method="setImgAlt" translate="alt" module="catalog"><alt>Keep your eyes open for our special Back to School items and save
           </block>
       </reference>
        <reference name="footer_links"
                                          this is base/default/layout/catalog.xml
            <action method="addLink" t
       </reference>
       <block type="catalog/product_p
    </default>
                                                                                              don't edit this file
<!--
                                only copy this handle to local.xml
Category default layout
    <catalog_category_default translate="label"</pre>
       <label>Catalog Category (Non-Anchor)</label>
        <reference name="left">
           <block type="catalog/navigation" name="catalog.leftnav" after="currency" template="catalog/navigation/left.phtml"/>
        </reference>
        <reference name="content">
           <block type="catalog/category_view" name="category.products" template="catalog/category/view.phtml">
               <block type="catalog/product_list" name="product_list" template="catalog/product/list.phtml">
                   <block type="catalog/product_list_toolbar" name="product_list_toolbar" template="catalog/product/list/toolbar.phtml">
                       <blook type="page/html_pager" name="product_list_toolbar_pager"/>
                       <!-- The following code shows how to set your own pager increments -->
                           <action method="setDefaultListPerPage"><limit>4</limit></action>
                           <action method="setDefaultGridPerPage"><limit>9</limit></action>
                           <action method="addPagerLimit"><mode>list</mode><limit>2</limit></action>
                           <action method="addPagerLimit"><mode>list</mode><limit>4</limit></action>
                           <action method="addPagerLimit"><mode>list</mode><limit>6</limit></action>
                           <action method="addPagerLimit"><mode>list</mode><limit>8</limit></action>
                           <action method="addPagerLimit" translate="label"><mode>list</mode><limit>all</limit><label>All</label></action>
                   </block>
                   <action method="addColumnCountLayoutDepend"><layout>empty</layout><count>6</count></action>
                   <action method="addColumnCountLayoutDepend"><layout>one_column</layout><count>5</count></action>
                   <action method="addColumnCountLayoutDepend"><layout>two_columns_left</layout><count>4</count></action>
                   <action method="addColumnCountLayoutDepend"><layout>two_columns_right</layout><count>4</count></action>
                   <action method="addColumnCountLayoutDepend"><layout>three_columns</layout><count>3</count></action>
                   <action method="setToolbarBlockName"><name>product_list_toolbar</name></action>
               </block>
           </block>
       </reference>
    </catalog_category_default>
Category layered navigation layout
    <catalog_category_layered translate="label">
       <label>Catalog Category (Anchor)</label>
       <reference name="left">
           <block type="catalog/layer_view" name="catalog.leftnav" after="currency" template="catalog/layer/view.phtml"/>
```


```
<?xml version="1.0" encoding="UTF-8"?>
<layout>
   <default>
       <remove name="right.poll"/>
                                                                                only change
       <remove name="right.permanent.callout"/>
       <remove name="left.permanent.callout"/>
       <remove name="paypal.partner.right.logo"/>
                                                       what needs to be changed
       <reference name="head">
           <action method="addCss"><stylesheet>css/loc
       </reference>
   </default>
                                                     call for your adsense script
   <catalog_category_default translate="label">
       <reference name="right">
           <block type="core/template" template="custom/adsense/adsense-sidebar.phtml" />
       </reference>
   </catalog_category_default>
   <catalog_category_layered translate="label">
       <reference name="right">
           <block type="core/template" template="custom/adsense/adsense-sidebar.phtml" />
       </reference>
   </catalog_category_layered>
</layout>
```




Thursday 19 May 2011 (wk)















I'm a UNIX geek fond of SSH

























```
<layout version="0.1.0">
<!--
Default layout, loads most of the pages
   <default>
                                                                        a call for a template file
       <!-- Mage_Catalog -->
       <reference name="top.menu">
           <block type="catalog/navigation" name="catalog.topnav" template="catalog/navigation/top.phtml"/>
       </reference>
       <reference name="left">
           <block type="core/template" name="left.permanent.callout" template="callouts/left_col.phtml">
               <action method="setImgSrc"><src>images/media/col_left_callout.jpg</src></action>
               <action method="setImgAlt" translate="alt" module="catalog"><alt>Our customer service is available
               <action method="setLinkUrl"><url>checkout/cart</url></action>
           </block>
       </reference>
       <reference name="right">
           <block type="catalog/product_compare_sidebar" before="cart_sidebar" name="catalog.compare.sidebar" ter</pre>
           <block type="core/template" name="right.permanent.callout" template="callouts/right_col.phtml">
               <action method="setImgSrc"><src>images/media/col_right_callout.jpg</src></action>
               <action method="setImgAlt" translate="alt" module="catalog"><alt>Keep your eyes open for our spec
           </block>
       </reference>
       <reference name="footer links">
                                                                                                /site_map"><la
   app/design/frontend/base/layout/catalog.xml
   </default>
<!--
Category default layout
```

<block type="catalog/navigation" name="catalog.leftnav" after="currency" template="catalog/navigation"</pre>

Thursday 19 May 2011 (wk)

<catalog_category_default translate="label">


<reference name="left">

ference name="content"


<label>Catalog Category (Non-Anchor)</label>

```
* Top menu for store
* @see Mage_Catalog_Block_Navigation
<?php
* $this->renderCategoriesMenuHtml() supports optional arguments:
* int Level number for list item class to start from
* string Extra class of outermost list items
* string If specified wraps children list in div with this class
<?php $_menu = $this->renderCategoriesMenuHtml(0,'level-top') ?>
<?php if($_menu): ?>
                                          URL key from CMS page
<div class="nav-container">
   <?php echo $_menu ?>
       <a href="<?php echo $this->getUrl('loremipsum')?>"><?php echo $this->__('Lorem Ipsum') ?></a>
   </div>
<?php endif ?>
```

app/design/frontend/default/<u>yourtheme/</u> template/catalog/navigation/top.phtml










```
Top menu for store
* @see Mage_Catalog_Block_Navigation
<?php
* $this->renderCategoriesMenuHtml() supports optional arguments:
* int Level number for list item class to start from
* string Extra class of outermost list items
* string If specified wraps children list in div with this class
<?php $_menu = $this->renderCategoriesMenuHtml(0,'level-top') ?>
<?php if($_menu): ?>
                                           call for static block in backend
<div class="nav-container">
   <?php echo $_menu ?>
       <?php echo $this->getLayout()->createBlock('cms/block')->setBlockId('menu')->toHtml(); ?>
   </div>
<?php endif ?>
```

app/design/frontend/default/<u>yourtheme/</u> template/catalog/navigation/top.phtml










```
<block type="core/text_list" name="after_body_start" as="after_body_start" translate="label">
    <label>Page Top</label>
</block>
                                                  no call for a template file
<block type="page/html_notices" name="global_notices" as="global_notices" template="page/html/notices.phtml" />
<block type="page/html_header" name="header" as="header">
    <block type="page/template_links" name="top.links" as="topLinks"/>
    <block type="page/switch" name="store_language" as="store_language" template="page/switch/languages.phtml"/>
    <block type="core/text_list" name="top.menu" as="topMenu" translate="label">
        <label>Navigation Bar</label>
    </block>
   <block type="page/html_wrapper" name="top.container" as="topContainer" translate="label">
        <label>Page Header</label>
       <action method="setElementClass"><value>top-container</value></action>
   </block>
</block>
<block type="page/html_breadcrumbs" name="breadcrumbs" as="breadcrumbs"/>
<block type="core/text_list" name="left" as="left" translate="label">
   <label>Left Column</label>
</block>
<block type="core/messages" name="global_messages" as="global_messages"/>
```

app/design/frontend/base/layout/page.xml


</block>


```
<lapel>Main Content Area
</block>
<block type="core/text_list" name="right" as="right" translate="label">
    <label>Right Column</label>
</block>
<block type="page/html_footer" name="footer" as="footer" template="page/html/footer.phtml">
    <block type="page/html_wrapper" name="bottom.container" as="bottomContainer" translate="label">
        <label>Page Footer</label>
       <action method="setElementClass"><value>bottom-container</value></action>
    </block>
    <block type="page/switch" name="store_switcher" as="store_switcher" template="page/switch/stores.phtml"/>
Thursday 19 May 2011 (wk)
```


```
<?xml version="1.0" encoding="UTF-8"?>
<layout>
    <default>
       <remove name="right.poll"/>
       <remove name="right.permanent.callout"/>
       <remove name="left.permanent.callout"/>
       <remove name="paypal.partner.right.logo"/>
       <reference name="head">
           <action method="addCss"><stylesheet>css/local.css</stylesheet></action>
       </reference>
       <reference name="top.links">
           <action method="addLink" translate="label title">
               <label>Lorem Ipsum</label>
                                        ← URL key from CMS page
               <url>loremipsum</url>
               <title>Lorem Ipsum</title>
               prepare>
           </action>
       </reference>
    </default>
    <catalog_category_defa
                          app/design/frontend/default/yourtheme/
       <reference name="r
           <block type="c
                                                  layout/local.xml
       </reference>
    </catalog_category_default>
    <catalog_category_layered translate="label">
       <reference name="right">
           <block type="core/template" template="custom/adsense/adsense-sidebar.phtml" />
       </reference>
    </catalog_category_layered>
Thursday 19 May 2011 (wk)
```






















Features

Double click on above image to view full picture

MORE VIEWS



Details

Home

The Nokia 2610 is an easy to use device that combines multiple messaging entions including email

Nokia 2610 Phone

Nokia 2610 Phone

Login

Module Position

Email to a Friend

Shop

★★★ 3 Review(s) | Add Your Review AVAILABILITY: IN STOCK

\$149.99

Joomla

Z00

Icons

Qty: 1 Add to Cart OR

Add to Wishlist Add to Compare

Quick Overview

The words "entry level" no longer mean "lowend," especially when it comes to the Nokia 2610. Offering advanced media and calling features without breaking the bank

MageBridge: Custom Block

search...

Camera Hohoho SEXY Test bones cool cool t-shirt crap good green hip laptop mobile nice notebook phone red tight trendy young

View All Tags

MageBridge: Cart

You have no items in your shopping cart.

MageBridge: Category Menu

see you at Magento Competence Center

magento-competence-center.com



hans2103 yireo jiraict

http://slideshare.net/hans2103

http://www.flickr.com/photos/trasimac/1217071176