



BDD in the Browser

@aaronbassett – rawtech.io



@aaronbassett



@rawtechio



BDD in the Browser

@aaronbassett – rawtech.io



Ruby on Rails

Sustainable productivity for web-application development



TDD is

DEAD

“I think that's the direction we're heading. Less emphasis on unit tests, because we're no longer doing test-first as a design practice, and more emphasis on, yes, slow, system tests.”

– <http://david.heinemeierhansson.com/2014/tdd-is-dead-long-live-testing.html>

THE

DHHA

PROBLEM

codon.com/the-dhh-problem



BORING



Having fun with testing.

@aaronbassett – rawtech.io





6. /Users/aaronbassett? (bash)

(env)repo on master*

\$ time python tests.py

.....
.....

Ran 193 tests in 278.417s

OK

real 4m38.684s

user 0m0.163s

sys 0m0.071s

(env)repo on master*

\$ █



6. /Users/aaronbassett? (bash)

(env)repo on master*

\$ time python tests.py

```
F.E.FE.FFFEFE.E..EFFE..FEEFF..EE.E.FFF.FFFFEEFF..E.FFFFF.FF.EF.F..F.FFFE..FF.E.FEEF.FFFFFFFE.FFFFFFFEF.FFEFF.EF
E..FFF..F..FFFFFFFFFFFF..FE.FFFFE.EFF.FF.EF.EEFFF.F.FF..EF...F.F.EF.FFF.FF.EEFFFFFF.FFF...E..FE.EFF..FFFF.F.FF.
F.FFFFFFFFFFFFF.FFFEFF.FFF..F..F.F.FFEEF.E..FEE.EFF.FFEFEFFF.FFEE.F.FEF..F..F.FFEFFFF.FFF..FFF.FFF.EFFFEFF.FF.EE
FF.FFFF..FF.FFF...F.FFF..F.EFE..EFFFEFFF.FE..FEFFF..FFFEEFFFFFF.FEEFE.E...F.FFFFF.F.F.EFF.FFEFEFFF..FEFFFF
FFFFFF.EF..FF.FFFEFE...FFF.EE..FFFFFFFF..FFFFFFFF.EF..FEE..FF.F...E.FFF.FF.E.FFFFF.E.FE.FFFFFFFFF.FFF.E.EFFFF
E..FFFFE...F..FEFFFFFFE.F..FFFFFFFF.FF.FEFF.F.E.FE..FFFFFFFFEFFFFFFEF.F.FFEF.FE..FF.FF...EFFF.FE.FFFFF..EFFE.FF
.F.FFF.FF.FEFF.EF...E.EFFF...FFFFFFFF..FFFFFFEF.FFF.FFFFEE.FEF.F.FF..EF.FE.FE..FEEE..EFFF.FFFFFFF..F.EFFF.FF
FFFFFFFF.EFFE.FE..FEFF.F.FFF.EFFFFFFFF.FFEE.F.F..F..EEF..FFF.F.E...FFFF..FFEFFFFFFEEF.FEEFFF.FFEFEFFFF..
FFF.F..FEEFFE.FFEEFFEFF.FFFF...F.FEFFF.F.EFEF..FFFFFFFF.FE.FFEEFEFEFF...EFFF.E.FFEFFF.FE
```

6. /Users/aaronbassett? (bash)

```
$ time nosetests --rednose tests.py
```

```
F.X.FX.FFFXF.X..XFFX..FXXFF..XX.X.FFF.FFFFXF.FX..X.FFFFF.FF.XF.F..F.FFFX..FF.  
X.FXXF.FFFFFFFX.FFFFFFFX.FFXFF.XFX..FFF..F..FFFFFFFFFFFFFF..FX.FFFFX.XFF.FF.XF.  
XXFFF.F.FF..XF...F.F.XF.FFF.FF.XXFFFFFF.FFF...X..FX.XFF..FFFF.F.FF.F.FFFFFFFF  
FF.FFFXF.FFF..F..F.F.FFFXF.X..FXX.XFF.FFXFXFFF.FFXX.F.FXF..F..F.FFXFFFF.FFF.  
.FFF.FFF.XFFFXF.FF.XXFF.FFFF..FF.FFF...F.FFF..F.XFX..XFFFXF.FX..FXFFF..FF  
FXXXXXXXX.FXXFX.X....F.FFFFF.F.F.XFF.FFXFXFFF..FXFFFFFFFF.XF..FF.FFXFXF..  
.FFF.XX..FFFFFFFF..FFFFFFFF.XF..FXX..FF.F..X.FFF.FF.X.FFFFF.X.FX.FFFFFFFFFF.  
FFF.X.XFFFFX..FFFFX...F..FXFFFFFFX.F..FFFFFF.FF.FXFF.F.X.FX..FFFFFFFFXFFFFXF  
.F.FFXF.FX..FF.FF...XFFF.FX.FFFFF..XFFXF.FF.F.FFF.FF.FXFF.XF...X.XFFF.....FF  
FFXFFFFF..FFFFFFX.FFF.FFFFXX.FXF.F.FF..XF.FX.FX..FXXX..XFFF.FFFFFFF..F.XFFF.FF  
FFFFFFX.FXFFX.FX..FXFF.F.FFF.XXXXXXXXXX.FFFXX.F.F..F..XXF..FFF.F.X...FFFF..F  
FXXXXXXXXXX.FXXXFFF.FXFXFXFFF..FFF.F..FXXFFF.FFXFXFF.FFFF...F.FXFFF.F  
.XFXF..FFFFFFFF.FX.FFXFXFXFF...XFFF.X.FFXFFF.FX
```



mocha

mochajs.org

```
6. /Users/aaronbassett? (bash)
jstest on master*
$ mocha -R dot

.....

320 passing (61ms)

jstest on master*
$ █
```

```
$ mocha -R dot
```

```
.....  
.....  
.....  
.....
```

319 passing (62ms)

1 failing

1) Array #indexOf() should return -1 when the value is not present:

AssertionError: expected 0 to be -1
+ expected - actual

-0

+-1

at Context.<anonymous> (test/tests.js:1924:33)

jstest on master*

```
$ █
```

```
6. /Users/aaronbasset? (bash)
jstest on master*
$ mocha -R progress

[-----]

320 passing (61ms)

jstest on master*
$ █
```

```
6. /Users/aaronbassett? (bash)
jstest on master*
$ mocha -R landing

-----
.....
-----

320 passing (153ms)

jstest on master*
$ █
```

6. /Users/aaronbasset? (bash)

jstest on master*

\$ mocha -R landing

```
-----  
.....  
-----
```

319 passing (166ms)

1 failing

1) Array #indexOf() should return -1 when the value is not present:

AssertionError: expected 0 to be -1
+ expected - actual

-0

+ -1

at Context.<anonymous> (test/tests.js:2008:33)

jstest on master*

\$ █

6. /Users/aaronbassett? (bash)

jstest on master*

\$ mocha -R nyan

```
320 -----,-----,
0 -----| ^ ^
0 -----^|_ ( ^ .^ )
----- "" ""
```

320 passing (423ms)

jstest on master*

\$ █

```
1 before(function() {  
2     exec("afplay /Codepen/jstest/nyan.mp3");  
3 });  
4  
5 after(function() {  
6     exec("killall afplay");  
7 });
```



imagesnap



6. /Users/aaronbassett? (bash)

pics on master*

\$ imagesnap

Capturing image from device "FaceTime HD Camera"...snapshot.jpg

pics on master*

\$ █

```
mocha || (imagesnap pic.png && exit 1)
```







`$(date +%y%m%d%H%M%S).png`

```
mocha -R nyan -t 4000 ||  
( imagesnap ~/Pictures/FAIL/$  
(date +%y%m%d%H%M%S) .png &&  
  exit 1 )
```


```
1 test:
2     mocha ... # Our super long command
3
4 .PHONY: test
```



Aaron Bassett

@aaronbassett

✓ 319 passed - ✗ 1 failed.



1:20 AM - 17 Jun 2015

```
2 var exec = require('child_process').exec;
3 var sleep = require('sleep');
4 var Twitter = require('node-twitter');
5
6 var mocha = new Mocha({});
7 var twitterRestClient = new Twitter.RestClient(
8   'CONSUMER_KEY',
9   'CONSUMER_SECRET',
10  'TOKEN',
11  'TOKEN_SECRET'
12 );
13
14 mocha.addFile('/Users/aaronbassett/twitter/tests.js')
15
16 var failCount = 0;
17 var passCount = 0;
18
19 mocha.run()
20   .on('pass', function(test) {
21     passCount++;
22   })
23   .on('fail', function(test, err) {
24     failCount++;
25   })
26   .on('end', function() {
27     if(failCount > 0) {
28       exec("imagesnap /Users/aaronbassett/FAIL.png");
29       sleep.sleep(2);
30       twitterRestClient.statusesUpdateWithMedia({
31         'status': 'â€šÛÓ ' + passCount + ' passed - â€šÛÃ³ ' + failCount
+ ' failed.',
32         'media[]': '/Users/aaronbassett/FAIL.png'
33       });
34     }
35   });
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if(failCount > 0) {  
14             ...  
15         }  
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if(failCount > 0) {  
14             ...  
15         }  
16     });
```

```
1 var twilio = require('twilio');
2
3 var client = new twilio.RestClient(
4     'TWILIO_ACCOUNT_SID',
5     'TWILIO_AUTH_TOKEN'
6 );
7
8 client.sms.messages.create({
9     to: 'MUM',
10    from: 'AARON',
11    body: 'I have failed you as a son.'
12 });
```

```
1 if (date.getHours() > 17) {  
2     client.sms.messages.create({  
3         to: 'WIFE',  
4         from: 'AARON',  
5         body: 'Sorry, I\'m going to be a bit late home tonight'  
6     });  
7 }
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if(failCount > 0) {  
14             ...  
15         }  
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if(failCount > 0) {  
14             ...  
15         }  
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(
2     ...
3 );
4
5 var mocha = new Mocha({});
6
7 mocha.addFile(...)
8
9 mocha.run()
10     .on('pass', function(test) {})
11     .on('fail', function(test, err) {})
12     .on('end', function() {
13         if(failCount > 0) {
14             ...
15         }
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(
2     ...
3 );
4
5 var mocha = new Mocha({});
6
7 mocha.addFile(...)
8
9 mocha.run()
10     .on('pass', function(test) {})
11     .on('fail', function(test, err) {})
12     .on('end', function() {
13         if(failCount > 0) {
14             ...
15         }
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if(failCount > 0) {  
14             ...  
15         }  
16     });
```

```
1 var twitterRestClient = new Twitter.RestClient(  
2     ...  
3 );  
4  
5 var mocha = new Mocha({});  
6  
7 mocha.addFile(...)  
8  
9 mocha.run()  
10     .on('pass', function(test) {})  
11     .on('fail', function(test, err) {})  
12     .on('end', function() {  
13         if (failCount > 0) {  
14             ...  
15         }  
16     });
```



```
1 mocha.run()
2   .on('fail', function(test, err) {
3     failCount++;
4   })
5   .on('end', function() {
6     if(failCount === 0) {
7       exec("afplay applause.mp3");
8     }
9   });
```

```
1 mocha.run()
2   .on('fail', function(test, err) {
3     failCount++;
4   })
5   .on('end', function() {
6     if(failCount === 0) {
7       exec("afplay applause.mp3");
8     }
9   });
```



```
ssh -t raspberrypi 'echo O M G $NAME! You  
broke your tests again? | festival --tts'
```

Browser window showing a "New Tab" with search and navigation icons. The user name "Aaron" is visible in the top right corner.

Browser bookmarks bar containing items: Apps, Travis, utils, TL;DR, T, 2048, 2048, COREFX: Bank as a f, Workouts, and Other Bookmarks.

Team Member	Tests ran	Failed	Passed	Frequency	Points
Anne	10,439	654	9785	3.6	35226
Steven	9,719	2,198	7,521	2.4	18050.4
Sara	7,976	13	7963	2.1	16722.3
Peter	6,793	356	6437	1.5	9655.5
Jo	3,615	402	3213	2.4	7711.2
Jane	2,923	476	2447	2.6	6362.2
Simon	1,423	187	1236	0.5	618
Jack	543	165	378	0.3	113.4
Mike	847	302	545	0.1	54.5





BitcoinJS

The clean, readable, proven library for Bitcoin JavaScript development.

build failing coverage 99%

 npm install bitcoinjs-lib
7 dependencies version 1.5.7
40 dependents updated a month ago

Fork me on GitHub

A pure JavaScript Bitcoin library for node.js and browsers. **Used in production**



BORING

SOONER OR LATER,
ALL OUR GAMES TURN
INTO CALVINBALL .

NO CHEATING !





@aaronbassett