

Making Accessible Web Animations CSUN 2020

Julie Grundy

Digital Accessibility Consultant



Slides: http://bit.ly/mawa2020

12 March 2020



New animation tools


- CSS transitions and keyframes
- CSS queries
- Web Animations API for JavaScript



Inaccessible Animations



Attention deficits







35% of adults aged 40 years or older in the United States—approximately 69 million Americans—have experienced some form of vestibular dysfunction.

Vestibular Disorders Association



Seizures and migraines







Why animate?



ACCESSIBILITY IS BEAUTIFUL




Animation has brain benefits!

Val Head




Source: Designing Interface Animation, 2016

Visual processing






Visual processing





What System



- Colour
- Shapes
- Objects
- Faces






welcome to the @jongold, we got fun & games @jongold

which one of the two possible websites are you currently designing?





Where System



- Motion
- Edges
- Contrast



Source: Margaret Livingstone, The Biology of Seeing






Animation itself is a visual representation of change over time

Rachel Nabors




Source: Animation At Work, 2017

Two systems






Differences







Feedback






Orientation









The best of both worlds



Give your users control over animation with a toggle or setting





Fira Code Google API Demo


FIRA CODE VARIABLE

Using the Google API to access variable fonts.

<u>Fira Code</u> by Multiple Designers is Open source. Code by <u>Mandy Michael</u> available on <u>Codepen</u>

Respect your user's OS or browser settings for reduced motion






Media queries

```
/* Type query */
@media screen and (min-width: 900px) {}
/* User preference query */
@media (prefers-reduced-motion: reduce) {}
```






© there's usually some kind of info down here

Prefers reduced motion

```
.modal-dialog {
  transition: transform 1s ease-out;}
.modal-zoom .modal-dialog {
  transform: scale(0.1);
@media (prefers-reduced-motion: reduce) {
  .modal-zoom .modal-dialog {
    transition: none;
```





© there's usually some kind of info down here

Support

IE	Edge *	Firefox	Chrome	Safari	iOS Safari *	Opera Mini *	Chrome for Android
					12.4		
	18	72	79		13.1		
11	80	73	80	13	13.3	all	80
		74	81	TP			
		75	82				
			83				



Source: www.caniuse.com

Don't flash too quickly



How quickly?

1.WELCOME TO BIGASSMESSAGE.COM

2. MESSAGE STYLE BASIC MAGIC HEART YEEZY

PREUIEW SAUE ??


3.SELECT & COPY URL

▶NEW STICKERS COMING SOON!

▶SCREEN SAUERS FOR MAC



How quickly?





►NEW STICKERS COMING SOON!

Flash speed

Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.

WCAG SC 2.3.1



Flash speed

Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.

WCAG SC 2.3.1



Hide things for everyone, not just mouse users



Page name



Leverage agile frameworks to provide a robust synopsis for high level overviews. Iterative approaches to corporate strategy foster collaborative thinking to further the overall value proposition. Organically grow the holistic world view of disruptive innovation via workplace diversity and empowerment.

#	First	Last	Handle
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

Capitalize on low hanging fruit to identify a ballpark value added activity to beta test. Override the digital divide with additional clickthroughs from DevOps. Nanotechnology immersion along the information highway will close the loop on focusing solely on the bottom line.

© there's usually some kind of info down here



age name







Leverage agile frameworks to provide a robust synopsis for high level overviews. Iterative approaches to corporate strategy foster collaborative thinking to further the overall value proposition. Organically grow the holistic world view of disruptive innovation via workplace diversity and empowerment.

#	First	Last	Handle
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

Capitalize on low hanging fruit to identify a ballpark value added activity to beta test. Override the digital divide with additional clickthroughs from DevOps. Nanotechnology immersion along the information highway will close the loop on focusing solely on the bottom line.





Leverage agile frameworks to provide a robust synopsis for high level conviews. Iterative approaches to corporate strategy foster collaborative thinking to further the overall value proposition. Organically grow the holistic world view of disruptive innovation the workplace diversity and empowerment.

#	rirst	Last	Handle
1	Mark	Otto	@mdo
2	Jacob	Thornton	@fat
3	Larry	the Bird	@twitter

Capitalize on low hanging fruit to identify a ballpark value added activity to beta test. Override the digital divide with additional clickthroughs from DevOps. Nanotechnology immersion along the information highway will close the loop on focusing solely on the bottom line.

© there's usually some kind of info down here

Manage tabindexes

```
function makeUnfocusable(where) {
   // find all the focusable elements
   const focusableThings = where.querySelectorAll(focusableElements)
}
```



Manage tabindexes

```
function makeUnfocusable(where) {
   // find all the focusable elements
   const focusableThings = where.querySelectorAll(focusableElements)
   // turn them into an array
   focusableThings = Array.prototype.slice.call(focusableThings)
}
```



Manage tabindexes

```
function makeUnfocusable(where) {
    // find all the focusable elements
    const focusableThings = where.querySelectorAll(focusableElements)
    // turn them into an array
    focusableThings = Array.prototype.slice.call(focusableThings)
    // loop through the array to change their tabindex values
    focusableThings.forEach(function(thing) {
        thing.setAttribute('tabindex', '-1')
    })
}
```



```
// animate closed by adding a CSS class
sbSidebar.classList.add('closed-sidebar')
```



```
// animate closed by adding a CSS class
sbSidebar.classList.add('closed-sidebar')
// update button content, ARIA, etc
updateButtonState(sbToggler)
```



```
// animate closed by adding a CSS class
sbSidebar.classList.add('closed-sidebar')
// update button content, ARIA, etc
updateButtonState(sbToggler)
// add display: none via a CSS class
sbSidebar.classList.add('hidden-all')
.hidden-all { display: none; }
```



```
// animate closed by adding a CSS class
sbSidebar.classList.add('closed-sidebar')
// update button content, ARIA, etc
updateButtonState(sbToggler)
// add display: none via a function
sbSidebar.addEventListener('transitionend', hideMe(sbContent))
function hideMe(me) {
   me.classList.add('hidden-all')
}
.hidden-all { display: none;}
```



Removing display: none

```
// remove display: none ASAP
sbContent.classList.remove('hidden-all')
// animate open
sbSidebar.classList.toggle('closed-sidebar')
// update button
updateButtonState(sbToggler)
```



Accessible Animations

- Give your users control with a toggle or setting
- Respect settings for reduced motion
- No more than 3 flashes per second
- Make sure hidden content is hidden from everyone



Let's chat



Slides: http://bit.ly/mawa2020

Twitter: @stringy







