



Elastic Stack Overview

Search. Observe. Protect.




Who?

```
$ curl http://localhost:9200/speaker/_doc/dpilato
{
  "nom" : "David Pilato",
  "jobs" : [
    { "boite" : "SRA Europe (SSII)", "mission" : "bon à tout faire", "date" : "1995" },
    { "boite" : "SFR", "mission" : "touche à tout", "date" : "1997" },
    { "boite" : "e-Brands / Vivendi", "mission" : "chef de projets", "date" : "2000" },
    { "boite" : "DGDDI (douane)", "mission" : "mouton à 5 pattes", "date" : "2005" },
    { "boite" : "IDEO Technologies", "mission" : "CTO", "date" : "2012" },
    { "boite" : "elastic", "mission" : "développeur", "date" : "2013" } ],
  "passions" : [ "famille", "job", "deejay" ],
  "blog" : "http://david.pilato.fr/",
  "twitter" : [ "@dadoonet", "@elasticfr" ],
  "email" : "david@pilato.fr"
}
```

The Elastic Stack

Reliably and securely take data from any source, in any format, then search, analyze, and visualize it in real time.






Free Elastic training

Start your Elastic journey and become an expert faster than ever — for free. Build your enterprise search, observability, security, and Elastic Stack skills with our on-demand training.

Quick Starts

Not sure where to start with Elastic? Start here. Our Quick Start guides will have you in your own Elastic Cloud cluster exploring data sets in less than 15 minutes.

- [Logging Quick Start](#)
- [Metrics Quick Start](#)
- [APM Quick Start](#)
- [Workplace Search Quick Start](#)
- [App Search Quick Start](#)
- [App Search web crawler Quick Start](#)
- [Elastic Security Quick Start](#)
- [User Experience Monitoring Quick Start](#)



Fundamentals training

Our self-paced courses include expertly designed materials, engaging demos, hands-on lab exercises, and access to Elastic experts to help you build and retain new skills. And they're all available anywhere you have an internet connection.

- [Observability Fundamentals](#)
- [Introduction to Observability: Logging](#)
- [Metrics Fundamentals](#)
- [APM Fundamentals](#)
- [Kibana Fundamentals](#)
- [Kibana for SPL Users](#)
- [Fundamentals of Securing Elasticsearch](#)
- [Elastic Security Fundamentals: SIEM](#)
- [Elastic Endgame Fundamentals](#)
- [Anomaly Detection for Cybersecurity](#)
- [ECE Fundamentals](#)

A typical search implementation...

```
CREATE TABLE user
(
  name VARCHAR(100),
  comments VARCHAR(1000)
);
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

David



Search on term

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');  
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at  
french customs service');  
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');  
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name="David";
```

Empty set (0,00 sec)



Search like

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%David%";
```

name	comments
David Pilato	Developer at elastic
David Gageot	Engineer at Google
David David	Who is that guy?

David

Q



Search for terms

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%David Pilato%";
```

name	comments
David Pilato	Developer at elastic

David Pilato



Search with inverted terms

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');  
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');  
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');  
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%Pilato David%";
```

Empty set (0,00 sec)

```
SELECT * FROM user WHERE name LIKE "%Pilato%David%";
```

Empty set (0,00 sec)



Search for terms

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%David%" AND
                                name LIKE "%Pilato%";
```

name	comments
David Pilato	Developer at elastic

Pilato David



Search in two fields

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%David%" OR
                                comments LIKE "%David%";
```

name	comments
David Pilato	Developer at elastic
Malloum Laya	Worked with David at french customs service
David Gageot	Engineer at Google
David David	Who is that guy?





Search with typos

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');  
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at  
french customs service');  
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');  
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%Dadid%";  
Empty set (0,00 sec)
```



Search with typos

```
INSERT INTO user VALUES ('David Pilato', 'Developer at elastic');
INSERT INTO user VALUES ('Malloum Laya', 'Worked with David at french customs service');
INSERT INTO user VALUES ('David Gageot', 'Engineer at Google');
INSERT INTO user VALUES ('David David', 'Who is that guy?');
```

```
SELECT * FROM user WHERE name LIKE "%_adid%" OR
                           name LIKE "%D_did%" OR
                           name LIKE "%Da_id%" OR
                           name LIKE "%Dad_d%" OR
                           name LIKE "%Dadi_%";
```

name	comments
David Pilato	Developer at elastic
David Gageot	Engineer at Google
David David	Who is that guy?



User Interface

Power Search:

ID Number

Web Title

Url

Category

Web Description

Keywords

Contact Name

Contact Email

Featured Links 🍷

Cool Links 🍷

Bold Links

Icon

Rating Average ★★★★★

Number of Votes

Total Hits

Hits Today

IP Address

Submission Software Name

Select

Select

Select

Select

☐

⚠️

☐

😬

☐

💡

☐

📄

☐

🔍

☐

🌐

Select

between

and

between


and

between

and

Search engine?

Moteur d'indexation de documents




Moteur de **recherche** dans les **index**


Demo time!




4GIFs.com



Searching for
Rides



Searching for Restaurants



Searching for
Love