


Hey, I'm Patrick!

I'm a Product Manager at Microsoft. I've worked with the **web** and on **browsers** for 20 years.





Let's talk about desktop apps!





4	
	PL
	<i>%</i>
WINAMP PLAYLIST	= ×
100. Marz - Biaiaich 101. Marz - Slide 102. Marz - Third Eye 103. Marz - Steal My Shine 104. Marz - Step Aside 105. Marz - Third Eye 106. Track 09 107. Marz - InTheMud 108. Dis- Missile - When Doves Cry 109. Ghost Machine - Intro 110. Ghost Machine - Headstone 111. Ghost Machine - Vegas Moon 112. Ghost Machine - Scarred By Happiness (L.S.D.) 114. Ghost Machine - Siesta Loca 115. Ghost Machine - L.S.H.F. 117. Ghost Machine - Rock In Roll 118. Ghost Machine - Burning Bridges (Br) 119. Ghost Machine - Last Stairwell 120. Ghost Machine - Certain Things	1:14 4:34 4:34 4:03 4:56 4:10 2:33 4:38 3:07 1:06 4:07 3:55 3:27 5:19 4:07 3:21 6:06 3:49 3:49 3:47 4:02 4:01 4:02
ADD REM SEL MISC 5:00/9:16:47	
WINAMP EQUALIZER	
PRESEN	-

PREAMP 60 170 310 600 IK 3K 6K 12K 14K 16K



×1 F	File Edit Selectio <mark>n V</mark> i	W Co Dun Terminal Using TODO nd dasht	p app talk - Visual Studio Co	ode 🔲 🗌 🖓 🖓 – 🗆 X
Ŋ	EXPLORER ••	☑ TODO.md × JS recorder.js JS app.js	sر … 🗍 🗐 🗟	importer.js × ····
	\sim desktop app talk	musicplayer > 🗹 TODO.md > 🖭 # TODO	m	nusicplayer > JS importer.js >
Q	JS exporter.js	1 # TODO 2 3 * Turn into a nice desktop app !		<pre>1 import { hasRemoteURLSong, addR 2 import { formatTime } from "./u 3</pre>
م	 favicon-128.png favicon-256.png 	4		4 // To add new songs into the st 5 // store functions directly.
æ	favicon-512.png			6 // The reason is that the impor7 // get its duration, which the8 // The importer can also return
Ē	favicon.svg JS file-launch-handle JS importer.js	js		9 // can't be imported.10
₿	 index.html JS player.js 			<pre>11 /** 12 * Attempt to import a new song 13 * and album.</pre>
Q	JS popup-polyfill.js JS recorder.js			14* If the song already exists (15* valid audio file, then an er
ସ	🖙 screenshot.png JS skin.js			<pre>16 */ 17 export async function importSon 18 const alreadyExists = await h</pre>
	JS song-ui-factory.js JS store.js			19if (alreadyExists) {20return { error: true, messa
	✓ TODO.md			<pre>21 } 22 23 const duration = await getSon</pre>
8	JS visualizer.js			<pre>24 if (duration === -1) { 25 return { error: true, messa</pre>
5	> TIMELINE > METADATA			<pre>26 } 27 28 await addRemotelIRISong(up] t</pre>
× (🛞 0 \land 0 🛈 1 🛛 🖉 9 Words	Ln 4, Co		28 await addRemoteURLSong(url. t RLF {} Markdown 🔠 🗸 Prettier 🖗 🗘

What makes a nice desktop app?

- It can be **installed**.
- It just always works.
- It can handle local files.
- It controls the content of its entire window.
- It integrates with other apps.
- It integrates with the Operating System.

1. Making it installable

Show All Commands Ctrl + Shift + P

Start Debugging F5

Toggle Terminal Ctrl +

Go to File Ctrl + P

Find in Files Ctrl + Shift + F

ප	
Q	
ပို	
à	
Ē	
₿	

) J	s im	porter.js	

R

ଫ

8

-

index.html

favicon.png
 favicon.svg

EXPLORER

DESKTOP APP TALK

✓ musicplayer
> skins
JS app.js

JS exporter.js

favicon-96.png
 favicon-128.png
 favicon-256.png
 favicon-512.png

- JS player.js
- JS popup-polyfill.js

JS file-launch-handler.js

- JS recorder.js
- screenshot.png
- JS skin.js
- JS song-ui-factory.js
- JS store.js
- 🗹 TODO.md
- JS utils.js
- > OUTLINE
- > TIMELINE

⊗0∆0

> METADATA





...

URL tested: softedge.github.io/Demos

/pwamp/

Resources

ρ

Your PWA's report Microsoft Store card.

Check out the the Overview below to see if your P store-ready! If not, tap the section that needs work BŶ Apps begin upgrading your PWA. \square

Manifest Options



~

Overview

Manifest

Security

Service Worker

160 10+ added to score

1. Test 2. Review 3. Package 4. Complete

Your PWA Score compared with other developers

160



Congrats! You have a great PWA!



PWAmp Patrick Brosset



This app requires the latest version of Microsoft Edge.



A customizable music player app for your computer. Drag and drop mp3 or other audio files in PWAmp to add them to your library an...



PEGI 3

Age Rating: PEGI. PEGI 3



000 Library

?

Help


Gaming

P


Movies & TV

Service Worker

Ø







1/2



>

_

Description

A customizable music player app for your computer. Drag and drop mp3 or other audio files in PWAmp to add them to your library and start playing your music.

PWAmp also has a nice visualizer, allows audio recording, and can share songs with other apps.

Ratings and reviews

There aren't any reviews for this product yet.

Features

music, visualizer, customizable

System Requirements



2. Making it always work

×	File Edit Selection View Go Run	Terminal Help sw.js - desktop app talk - Visual Studio Code	
Ŋ	EXPLORER ····	{} manifest.json	□ …
-	imes desktop app talk	musicplayer > JS sw.js >	
Q	\checkmark musicplayer	<pre>1 self.addEventListener("fetch", () => {});</pre>	
1	> skins		
ц	Js app.js		
õ	JS exporter.js		
	🖾 favicon-96.png		
æ	🖾 favicon-128.png	т	
	🔄 favicon-256.png	\perp	
Ē	🖾 favicon-512.png		
_	🖾 favicon.png		
ß	👕 favicon.svg		
_	JS file-launch-handler.js		
9	JS importer.js		
	index.html		
ସ	H manifest.json		
	JS player.js		
	Js popup-polyfill.js		
	JS recorder.js		
	screenshot.png		
	JS skin.js		
	Js song-ui-factory.js		
	JS store.js		
8	sw.js		
	> OUTLINE		
52	> TIMELINE		
	> metadata		

Ln 1, Col 42 Spaces: 2 UTF-8 CRLF {} JavaScript 🔠 🛷 Prettier 🔗 🗘

× ⊗0<u>∧</u>0

3. Handling local files

	JS	exporter.js
	•	favicon-96.png
	1	favicon-128.png
-	E	favicon-256.png
ා්	•	favicon-512.png
_	1	favicon.png
с С	۴	favicon.svg
	JS	importer.js
	<ې	index.html
	{}	manifest.json
X	JS	player.js
-	JS	popup-polyfill.js
	JS	recorder.js

 \mathbf{X}

பு

ρ

ço

æ

Ð

R

8

5

EXPLORER

> skins

JS app.js

DESKTOP APP TALK
 musicplayer

		-		
scre	ens	sho	t.r	ona

- JS skin.js
- JS song-ui-factory.js
- JS store.js
- JS sw.js
- 🗹 TODO.md
- > OUTLINE
- > TIMELINE

⊗1∆2

> METADATA





Show All Commands	Ctrl + Shift + P
Go to File	Ctrl + P
Find in Files	Ctrl + Shift + F
Start Debugging	F5
Toggle Terminal	Ctrl + `



4. Using the entire window

S F	ile Edit Selection View Go Run …	file-launch-handler.js - edge-demos - Visual St 🔲 🗔 🔲 🔐 — 🛛 🗙
ل	EXPLORER ····	JS file-launch-handler.js × # 🗍 … JS app.js × # default.css 5 …
	✓ EDGE-DEMOS □ □	pwamp > JS file-launch-handler.js > pwamp > JS app.js >
Q	> email-client	1 import { applyCustomSkin 3 > A ab $\uparrow \downarrow \equiv \times$ pend
ŕ	> eyedropper	2 import { importSongFromFil 4 importSongFromFil
و٢	> network-tutorial	<pre>3 import { startApp, playlis 4 import { visualizer } from 4 import { visualizer } from 5 import { visualizer } from 6 import { visualizer } from 7 import {</pre>
Ŭ	✓ pwamp	5 import { createl ordingSong
	✓ skins	6 / import { loadcustomurkeset
<u>A</u> /	# blue ces	<pre> Const AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongUI, rer Songer AUDIO_EXTENSIONS = [9 import { createSongEXTENSIONS = [9 import</pre>
	# default.css 5	
L_⊚	Js app.js	9 async function handleFiles 11 // All of the UT DOM eleme
_	JS exporter.js	PROBLEMS 34 OUTPUT TERMINAL ··· \sum powershell $+ \sim \square \square \land \times$
B	🖾 favicon-96.png	PROBLEMS 34 OUTPUT TERMINAL \cdots > powershell + \sim 11 1 \square \wedge ×
	🖾 favicon-128.png	0.0.0 Safari/537.36 Edg/105.0.1341.0"
	🖾 favicon-256.png	[2022-08-08T14:55:33.233Z] "GET /pwamp/favicon.svg" "Mozilla/5.0 (
	🖾 favicon-512.png	Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
	🖾 favicon.png	Chrome/105.0.0.0 Safari/537.36 Edg/105.0.1341.0" [2022-08-08T14:55:48.315Z] "GET /pwamp/sw.js" "Mozilla/5.0 (Window
	favicon.svg	s NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrom
	JS file-launch-handler.js	e/105.0.0.0 Safari/537.36 Edg/105.0.1341.0"
8	JS importer.js	http-server stopped.
\sim	> OUTLINE	PS C:\Users\pabrosse\dev\edge-demos> ^C PS C:\Users\pabrosse\dev\edge-demos>
562	> TIMELINE	
~ <u>~</u>	> metadata	
× }	^၉ main 🕂 🛞 4 🛆 1 🛈 29	Ln 5, Col 1 Spaces: 2 UTF-8 CRLF {} JavaScript 🤀 🛷 Prettier 🔗 🗘







		10		
Ð	EXPLORER		₿ manifest.json ×]
	imes desktop app talk		musicplayer > {} manifest.json >	
، م و ک	 musicplayer skins JS app.js JS exporter.js favicon-96.png 		<pre>1 { 2 "name": "pwamp", 3 "description": "A web audio player app", 4 "lang": "en-US", 5 "start_url": "./", 6 "scope": " ("</pre>	
å	favicon-128.png			
~	🖾 favicon-256.png		<pre>7 "theme_color": "#181c25", 8 Dackground_color : #181c25", 9 "display": "standalone",</pre>	
_⊚ BB	favicon-512.pngfavicon.pngfavicon.svg		<pre>9 "display": "standalone", 10 "icons": [11</pre>	
Q	JS file-launch-handler.js JS importer.js > index.html	2	13 "sizes": "96x96" 14 }, 15 {	
ସ	<pre>{} manifest.json</pre>		16 "src": "./favicon-128.png",	
: (JS player.js JS popup-polyfill.js JS recorder.js		17 "sizes": "128x128" 18 }, 19 { 20	
	Screenshot.png JS skin.js		20 "src": "./favicon-256.png", 21 "sizes": "256x256" 22 },	
	JS song-ui-factory.js JS store.js		23 { 24 { 25 "src": "./favicon-512.png", 512x512"	
\otimes	JS sw.js		26 }	
			27],	
\$2 <mark>0</mark>	> TIMELINE		28 "file_handlers": [
	> metadata		29 {	

√ ⊗1∆105

Ln 7, Col 28 Spaces: 2 UTF-8 CRLF {} JSON 🔠 🛷 Prettier 🖗 🗘





1	File	Edit	Selection	View	Go	Run	Terminal	Help	
---	------	------	-----------	------	----	-----	----------	------	--

பு	EXPLORER
	imes desktop app talk
ρ	🗸 musicplayer
	✓ skins
29	# blue.css
õ	# default.css
	JS app.js
æ^	JS exporter.js
_	🖾 favicon-96.png
Γġ	🔄 favicon-128.png
_	🔄 favicon-256.png
Б	🖾 favicon-512.png
	🖾 favicon.png
3	👕 favicon.svg
	JS file-launch-handler.js
R	JS importer.js
	index.html
	<pre>{} manifest.json</pre>
	JS player.js
	JS popup-polyfill.js
	JS recorder.js
	🖾 screenshot.png
	JS skin.js
Q	JS song-ui-factory.js
\sim	
563	> TIMELINE
~1	> METADATA

≶ ⊗ 2 ∆ 1

Show All Commands	Ctrl + Shift + P
Go to File	Ctrl + P
Find in Files	Ctrl + Shift + F
Start Debugging	F5
Toggle Terminal	Ctrl + `



5. Integrating with other apps


protoco!//


web+??://

*	File Edit Selection View Go Run Ter	rminal Help desktop app talk - Visual Studio Code	
Ŋ	EXPLORER ····		
S	imes desktop app talk		
Q	✓ musicplayer		
	> skins •		
ço	JS app.js		
	JS exporter.js		
å	🖾 favicon-96.png		
	🖾 favicon-128.png		
	🖾 favicon-256.png		
⊑ø	favicon-512.png		
-0	favicon.png		
₿	favicon.svg		
	JS file-launch-handler.js		
0	JS importer.js		
~	♦ index.html 2		
ଷ	{} manifest.json Js player.js		
	JS popup-polyfill.js	Show All Commands	Ctrl + Shift + P
	JS recorder.js	Go to File	Ctrl + P
	screenshot.png		
	JS skin.js	Find in Files	Ctrl + Shift + F
	JS song-ui-factory.js	Start Debugging	F5
	JS store.js		
8	JS sw.js	Toggle Terminal	Ctrl + `
0	> OUTLINE		
503	> TIMELINE		
<u>41</u>	> METADATA		
1	Q1 A 1		6 51

≫ ⊗ 2 ∆ 2







× 1	File Edit Selection View Go F	Run Terminal Help	desktop app talk - Visual Studio Code		
Ŋ	EXPLORER				
	imes desktop app talk				
Q	✓ musicplayer				
	> skins				
gg	JS app.js				
0	JS exporter.js				
å	🔄 favicon-96.png				
	🔄 favicon-128.png		\sim		
<u>_</u> ⊚	🔄 favicon-256.png				
	favicon-512.png				
-0	a favicon.png				
₿	👕 favicon.svg				
	JS file-launch-handler.js				
Q	JS importer.js				
-	index.html	2			
ଷ	{} manifest.json				
	JS player.js		Show All Commands	Ctrl + Shift + P	
	JS popup-polyfill.js		Go to File	Ctul I D	
	JS protocol-launch-handler.js JS recorder.js		Go to File		
	screenshot.png		Find in Files	Ctrl + Shift + F	
	JS skin.js			-	
	JS song-ui-factory.js		Start Debugging	F5	
8	JS store.js		Toggle Terminal	Ctrl + `	
	> OUTLINE				
~~	> TIMELINE				
500	> metadata				

У ⊗2∆2



6. Integrating with the operating system

Top Sites Sign-in with Microsoft Demo 🔒 patrick Photopea | Online Photo Editor DevTools Tips 0 pwamp Recently closed 💽 pwamp 🜔 pwamp 🜔 pwamp Tasks New window ि New InPrivate window 🔝 Microsoft Edge Canary \bigotimes Unpin from taskbar X Close all windows

😆 🗙

> 😓 🚺

P

P

C

=

O PRE

1

T

:

💽 👧 🚱


 \bigcirc


Beta

0

× 1	File Edit Selection View Go	Run Te	rminal Help manifest.json - desktop app talk - Visual Studio Code		08 -		×
ப	EXPLORER		{} manifest.json ×				•••
	imes desktop app talk		musicplayer > {} manifest.json > [] shortcuts > {} 1				
S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S <p< th=""><th>DESKTOP APP TALK musicplayer \$ skins JS app.js JS app.js JS exporter.js I favicon-96.png I favicon-128.png I favicon-256.png I favicon-512.png I favicon.svg JS file-launch-handler.js JS importer.js I manifest.json JS player.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS screenshot.png JS skin.js JS song-ui-factory.js JS store.js</th><th>2</th><th><pre>musicplayer > {} manifestjson > [] shortcuts > {} 1 80 81 82 83 84 85 86 87 87 84 85 86 87 87 84 85 86 87 87 80 87 80 87 80 87 80 87 80 87 80 87 80 87 80 80</pre></th><th></th><th></th><th></th><th></th></p<>	DESKTOP APP TALK musicplayer \$ skins JS app.js JS app.js JS exporter.js I favicon-96.png I favicon-128.png I favicon-256.png I favicon-512.png I favicon.svg JS file-launch-handler.js JS importer.js I manifest.json JS player.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS protocol-launch-handler.js JS screenshot.png JS skin.js JS song-ui-factory.js JS store.js	2	<pre>musicplayer > {} manifestjson > [] shortcuts > {} 1 80 81 82 83 84 85 86 87 87 84 85 86 87 87 84 85 86 87 87 80 87 80 87 80 87 80 87 80 87 80 87 80 87 80 80</pre>				
Ø	> OUTLINE						
£21	> TIMELINE						
91	> metadata						
× (⊗ 2 🛆 2 🛈 10		Ln 96, Col 6 Spaces: 2 UTF-8	CRLF {} JSON	Market Market	ନ	Д

2:51 PM





∢	File Edit Selection View Go R	Run Termina	Help manifest.json - desktop app talk - Visual St	ıdio Code			18 —		×
Ŋ	EXPLORER	{}	nifest.json ×					□ ·	•••
	\sim desktop app talk	mu	olayer > {} manifest.json >						
₽ < ぷ ☆ î° ¦¦ de de :	 DESKTOP APP TALK musicplayer skins JS app.js JS exporter.js favicon-96.png favicon-128.png favicon-256.png 			.ate/current_song.ac.jsc	on",				
8	JS store.js								
	> OUTLINE								
501	> TIMELINE								
	> metadata								
\sim	⊗ 2 ⚠ 2 🛈 9			Ln 99, Col 2 Spaces: 2	UTF-8 CRLF {}	JSON 🔠	✓ Prettier	মি বি	Ф _

Let's sum up!

Installation

manifest/service worker/HTTPS |→| → publish to stores with PWABuilder

Always works \mathbf{Q}

Caching resources on install of SW

► Local files

Register as a PWA file_handler

Draw in the entire window

→ Use the Window Controls Overlay

Ø

Integrate with other apps

- Register as a protocol_handler
- Register as a share_target
- Share out with navigator.share()



Integrate with the OS

Display shortcuts Insert widgets



Myth #1 PWA is old news...

"Service workers will soon control 20% of web traffic, and sites continue adding more capabilities each year"

Web Almanac 2021 edition https://almanac.httparchive.org/en/2021/pwa

"~ 100% growth in PWA density between March and Sept 2021"

PWAs... What's going on? https://mobsted.com/world_state_of_pwa_2021

Myth #2 It's a google thing only

Myth #3 It's only on mobile


Myth #4 But it doesn't work on iOS

Myth #5 But the web can't do native

"today we are extending Photoshop to the web as a beta"

Photoshop updates

https://blog.adobe.com/en/publish/2021/10/26/photoshop-ships-major...



Myth #6 APIs are not cross-browser

